



# 300-810<sup>Q&As</sup>

Implementing Cisco Collaboration Applications (CLICA)

## Pass Cisco 300-810 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-810.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

An engineer deploys Centralized Deployment for Cisco IM and Presence, where central IM and Presence runs version 12.0, and remote Cisco UCM clusters run version 10.5. The engineer checks under System > Centralized Deployment and notes that Status remains UnSynchronized. What are two reasons for this status? (Choose two.)

- A. The Cisco UCM and IM and Presence cluster must be running at least version 11.5 to allow for Centralized Deployment.
- B. The remote Cisco UCM cluster does not support OAuth Refresh Token flow.
- C. This connection must be synchronized from the remote Cisco UCM Administration menu.
- D. The username and/or password of the application user that was provided for adding remote clusters to the central IM and Presence is incorrect.
- E. The application user that is configured on remote Cisco UCM clusters does not have the Standard AXL API Access added.

Correct Answer: BC

---

### QUESTION 2

In the integration of Cisco Unity Connection using SIP, which SIP trunk security profile option is required for MWI to work correctly?

- A. Accept out-of-dialog refer
- B. Accept replaces header
- C. Accept unsolicited notification
- D. Accept presence subscription

Correct Answer: C

Reference: <https://community.cisco.com/t5/collaboration-voice-and-video/understanding-troubleshooting-mwi-on-unity-connection/ta-p/3162948> [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/security/9\\_0\\_1/secugd/CUCM\\_BK\\_CCB00C40\\_00\\_cucm-security-guide-90/CUCM\\_BK\\_CCB00C40\\_00\\_cucm-security-guide\\_chapter\\_011001.pdf](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/security/9_0_1/secugd/CUCM_BK_CCB00C40_00_cucm-security-guide-90/CUCM_BK_CCB00C40_00_cucm-security-guide_chapter_011001.pdf)

---

### QUESTION 3

An engineer is asked to configure Cisco Jabber for Windows on-premises, in phone-only mode and later with Cisco IM and Presence. In the configuration steps, which two DNS records will be needed, assuming the Jabber client is in "domain.com"? (Choose two.)



- ☐ \_cuplogin\_tcp.domain.com
- ☐ cuplogin.tcp.cisco-internal.domain.com
- ☐ \_collab-edge\_tcp.domain.com
- ☐ cisco-uds.tcp.cisco-internal.domain.com
- ☐ \_cisco-uds\_tcp.domain.com

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

Correct Answer: AE

---

#### QUESTION 4

An engineer must verify that the DNS SRV entries that are configured have the correct Information. How Is this configuration completed via a Windows machine?

- A. Go to Windows Explorer and type nslookup. Set the type=internet, and then enter the SRV record.
- B. Go to the command prompt and type dnslookup. Set the type=sip. and then enter the SRV record.
- C. Go to Internet Explorer and type nslookup. Set the type=srv, and then enter the SRV record.
- D. Go to the command prompt and type nslookup. Set the type=srv, and then enter the SRV record.

Correct Answer: D

---

#### QUESTION 5

An engineer must configure open SIP Federation on cisco IM and presence using cisco Expressways with the additional requirement not to allow a specific list of domains and allow all other domains that are not specified. How is this additional requirement met?

- A. Configure default static routes for each blocked domain with an invalid next-hop IP address.
- B. Add a static route for each blocked domain and keep the "Block Route" checkbox checked.
- C. Block the specified SIP domains on the Expressway



D. Add each allowed domain as a SIP Federated domain.

Correct Answer: D

[300-810 PDF Dumps](#)

[300-810 Exam Questions](#)

[300-810 Braindumps](#)