



# 300-815<sup>Q&As</sup>

Implementing Cisco Advanced Call Control and Mobility Services  
(CLACCM)

**Pass Cisco 300-815 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-815.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which set of commands binds SIP media and signaling to interface GigabitEthernet0/0 when dial peer 1 is chosen for call routing?

- A. dial-peer voice 1 voip voice-class source interface GigabitEthernet0/0
- B. voice service voip bind sip source-interface GigabitEthernet0/0
- C. voice service voip sip bind all source-interface GigabitEthernet0/0
- D. dial-peer voice 1 voip voice-class bind control source-interface GigabitEthernet0/0 voice-class sip bind media source-interface GigabitEthernet0/0

Correct Answer: C

---

### QUESTION 2

A user reports that when they attempt to log out from the Cisco Extension Mobility service by pressing the services button, they cannot log out. What is cause of this issue?

- A. The Cisco Extension Mobility service has not been configured on the phone.
- B. Network latency should be checked since there might be a significant delay between the button being pressed and it being recognized by the Cisco Extension Mobility service.
- C. The user device profile has not been assigned to the user.
- D. The user device profile is not subscribed to the Cisco Extension Mobility service.

Correct Answer: D

---

### QUESTION 3

An administrator is implementing a new dial-plan on Cisco Unified Border Element. The administrator must ensure that incoming dial-peers are matched based on the IP address from where the incoming request originates. Which dial-peer configuration should be applied to accomplish this requirement?

- A. dial-peer voice 1 voip incoming uri to
- B. dial-peer voice 1 voip incoming called-number
- C. dial-peer voice 1 voip incoming uri via
- D. dial-peer voice 1 voip incoming uri request

Correct Answer: C

---



#### QUESTION 4

Users report strange behaviors when they call external numbers from the company phone system. The company is using Cisco 8865 phones with Cisco UCM connected to a gateway with two T1 circuits. There is no indication of the possible problem, but the connection seems to be established. Which command meets the requirement to capture all the data needed to debug the problem?

- A. debug mgcp media tracelevel critical
- B. debug mgcp media tracelevel critical all
- C. debug mgcp media tracelevel critical verbose
- D. debug mgcp media tracelevel moderate

Correct Answer: B

---

#### QUESTION 5

An engineer set up and successfully tested a TEHO solution on the Cisco UCM. PSTN calls are routed correctly using the IP WAN as close to the final PSTN destination as possible. However, suddenly, calls start using the backup local gateway instead. What is causing the issue?

- A. route pattern
- B. LAN connectivity
- C. WAN connectivity
- D. route list and route group

Correct Answer: C

[300-815 Practice Test](#)

[300-815 Exam Questions](#)

[300-815 Braindumps](#)