



300-820^{Q&As}

Implementing Cisco Collaboration Cloud and Edge Solutions (CLCEI)

Pass Cisco 300-820 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-820.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An organization with a domain name of example.com.

Which two SRV records are valid for a SIP and H.323 communication? (Choose two.)

- A. _sips._tcp.example.com
- B. _sips._udp.example.com
- C. _h323ls._udp.example.com
- D. _h323ls._tcp.example.com
- E. _collab-edge._tls.example.com

Correct Answer: AC

QUESTION 2

An Expressway-E is configured using a single NIC with NAT.

How must the Expressway-C traversal client zone be configured to connect to the Expressway-E?

- A. TLS verify must be enabled.
- B. The zone profile must be set to default.
- C. The peer address must be the Expressway-E NAT address.
- D. The peer address must be the Expressway-E LAN 1 IP address.

Correct Answer: C

QUESTION 3

Which two licenses are required for the Expressway B2B feature to work? (Choose two)

- A. Traversal Server
- B. Advanced Networking
- C. Device Provisioning
- D. Rich Media Sessions
- E. TURN Relays

Correct Answer: AD



QUESTION 4

Refer to the exhibit.

```
XmppSDK.dll #0, 201, Recv:<iq id='uid:527a7fe7:00000cfe:00000000' type='error'><bind  
xmlns='urn:ietf:params:xml:ns:xmpp-stanzas' /></error></iq>  
  
XmppSDK.dll #0, CXmppClient::onResourceBindError  
  
XmppSDK.dll #0, 39, CTriClient::HandleDisconnect, reason:16
```

While troubleshooting Cisco Jabber login issues, there are some error messages. Why is the Jabber client unable to sign in?

- A. down Cisco Unified Communications Manager server
- B. XMPP bind failures
- C. incorrect login credentials
- D. service discovery issues

Correct Answer: B

QUESTION 5

Cisco Collaboration endpoints are exchanging encrypted signaling messages. What is one complication in implementing NAT ALG for voice and video devices?

- A. NAT ALG is not compatible with the H.323 signaling protocol.
- B. NAT ALG introduces latency in the media path.
- C. The NAT ALG cannot inspect the contents of encrypted signaling messages.
- D. NAT ALG requires the use of NAT reflection, which may not be supported on all firewalls.

Correct Answer: C

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/srnd/collab11/collab11/security.html upvoted 1 times

[300-820 PDF Dumps](#)

[300-820 Practice Test](#)

[300-820 Braindumps](#)