# 300-825<sup>Q&As</sup>

300-825<sup>Q&As</sup>

Implementing Cisco Collaboration Conferencing (CLCNF)

## Pass Cisco 300-825 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.passapply.com/300-825.html**

## 100% Passing Guarantee
## 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

**QUESTION 1**

An engineer plans a Cisco Meeting Server deployment for a small company that has 60 percent of its employees working on site and 40 percent working remotely. The company security policy limits core server access to internal clients. Which deployment model should be used?

A. Single Combined

B. Single Split

C. Cluster

D. Scalable and Resilient

Correct Answer: B

Reference: https://cmslab.ciscolive.com/pod7

**QUESTION 2**

Refer to the exhibit. What does this notification indicate about activity over the last 90 days?

A. In cluster 2, more licenses have been used than are installed for less than 15 days.

B. In cluster 3, the license agreement will remain in compliance for 20 more days.

C. In cluster 4, at least 5 percent of the installed licenses have not been used.

D. In cluster 6, the license agreement has been out of compliance for more 30 days.

Correct Answer: A

## QUESTION 3

An administrator configures a Call Bridge to record meetings. Which two configuration elements tell the Call Bridge where to find the recording server? (Choose two.)

A. tenants

B. IVR

C. DTMF combination

D. sipRecorderUri

E. outbound rules

Correct Answer: AD

Reference: https://www.cisco.com/c/dam/en/us/td/docs/conferencing/ciscoMeetingServer/Deployment_Guide/Version-3-0/Cisco-Meeting-Server-3-0-Single-Combined-Server-Deployment.pdf

## QUESTION 4

An administrator must create conference resources for phones that are registered to Cisco UCM. The administrator adds Cisco Meeting Server as a Conference Bridge to Cisco UCM to accomplish this task. Where should the administrator add the Conference Bridge to allow phones to use Cisco Meeting Server for conferences?

A. to a device pool

B. to a media resource group

C. to a SIP trunk

D. to a security profile

Correct Answer: C

Reference: https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/213820-configure-cisco-meeting-server-and-cucm.html

## QUESTION 5

In the Cisco TMS GUI, a Cisco UCM registered system shows these error details:

Provisioning mode is set to Cisco UCM for this system.

The system cannot be refreshed or scheduled.

To manage this system as a Cisco TMS system, the provisioning mode needs to be changed to Cisco TMS.

To add the system as Cisco UCM managed system, it must be added through the Cisco UCM that is provisioning the system.

What should be done to resolve this error?

A. Purge the system in Cisco TMS and add the system back directly to Cisco TMS using "Add by IP Address".

B. Restart Microsoft IIS on the Windows server that hosts Cisco TMS and perform a "Force Refresh" on the system.

C. Delete the system and add the system back with the "Add from Cisco UCM or Cisco TMS" option.

D. Update the credentials for the system in Cisco TMS.

Correct Answer: C

Latest 300-825 Dumps                  300-825 Study Guide                  300-825 Braindumps