



300-825^{Q&As}

Implementing Cisco Collaboration Conferencing (CLCNF)

Pass Cisco 300-825 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-825.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which rule is required for Skype for Business users to use spaces on a cluster of Cisco Meeting Servers?

- A. an outbound call rule that maps the local contract domain as the cluster FQDN
- B. an outbound call rule that sets each domain to use pass through as the caller ID
- C. an inbound call rule that sets each domain to use pass through as the caller ID
- D. an inbound call rule that matches the domain that users are calling

Correct Answer: C

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/212217-configure-cisco-meeting-server-and-skype.html>

QUESTION 2

<pre>CMS1> ipv4 a IPv4 configuration: address 10.0.101.120 default true dhcp false enabled true gateway 10.0.101.1 prefixlen 24 route 10.0.0.0/8 CMS1> ipv4 b IPv4 configuration: address 192.168.2.20 dhcp false enabled true gateway 192.168.2.1 prefixlen 24 route 192.168.0.0/16</pre>	<pre>Subnets: Headquarters: Network: 10.0.0.0/8 Services: All allowed Management Network: Network: 192.168.2.0/24 Services: Only HTTP, HTTPS, SSH, LDAP Remote Site: Network: 192.168.10.0/24 Services: All allowed</pre>
---	---

Refer to the exhibit. An administrator troubleshoots an issue with Cisco Meeting Server. Endpoints that call from the remote site cannot connect, but endpoints that call from headquarters can connect. What should the administrator do to resolve this issue?

- A. Add a route for 192.168.10.0/24 to interface b.
- B. Set interface b as the default interface.
- C. Remove the route for 192.168.0.0/16 from interface b.
- D. Enable DHCP on interface a but not on interface b.



Correct Answer: A

QUESTION 3

CCNP Collaboration

false

8001

849274932

1234

XnKexB0yWQ2iwfu0Ce6AWQ

2

Refer to the exhibit. When a user dials 8001 to connect to a space that is hosted on Cisco Meeting Server, the user is prompted for a pin. The prompt says the user should press # to connect to a meeting without a pin, but guests and hosts

must enter a pin before connecting to the meeting.

Which configuration change resolves this issue?

- A. The secret value must be changed to be solely numeric instead of alpha-numeric.
- B. The passcode must be changed to be longer than four digits.
- C. All access methods that are associated with the space must be changed to include a pin.
- D. A callLegProfile must be created and associated with the space so that pins are not optional.

Correct Answer: D

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/213552-configure-and-troubleshoot-guest-and-hos.html#anc10>

QUESTION 4

An organization wants to ensure that off-premises users can use a browser to join the Cisco Meeting Server web app without needing additional software. What must be included in the Expressway-E certificate to accomplish this goal?

- A. the Call Bridge name as a SAN
- B. the Web Admin interface FQDN as a SAN



- C. the name of each Cisco Meeting Server that is part of the cluster
- D. the Guest account client URI as a SAN

Correct Answer: B

Reference: <https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/210800-configure-cms-webrtc-proxy-over-expressw.html>

QUESTION 5

What is one of the ways Cisco TMS redundancy is configured?

- A. Set up three Cisco TMS servers by using F5 BIG-IP for load balancing IP traffic.
- B. Set up one Cisco TMS server with an SQL database for automatic failover.
- C. Set up one Cisco TMS server by using a Hot Standby model.
- D. Set up two Cisco TMS servers with a network load balancer in front.

Correct Answer: C

[Latest 300-825 Dumps](#)

[300-825 PDF Dumps](#)

[300-825 Practice Test](#)