300-825^{Q&As}

Implementing Cisco Collaboration Conferencing (CLCNF)

Pass Cisco 300-825 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/300-825.html

100% Passing Guarantee
### 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Warning	The CDR receiver address is not specified and cannot be added as a CDR receiver to cms1.pod1.local
Warning	The CDR receiver address is not specified and cannot be added as a CDR receiver to cms2.pod1.local

Refer to the exhibit. Which action resolves the Cisco Meeting Server warnings?

A. Add Cisco Meeting Server by both IPv6 and IPv4 addresses to have Cisco Meeting Management set itself as a receiver.

B. Configure the CDR receiver address in the Cisco Meeting Management settings.

C. Set the CDR receiver as an IP address and not as an FQDN.

D. Change the Cisco Meeting Server permissions in Cisco Meeting Management to allow Cisco Meeting Management to set itself as a receiver.

Correct Answer: B

Reference: https://meeting-infohub.cisco.com/olh/meeting-management/3-1/meetings/notifications_op.htm?TocPath=Manage%20meetings%7C_____5

QUESTION 2

Refer to the exhibit. What does this notification indicate about activity over the last 90 days?

A. In cluster 2, more licenses have been used than are installed for less than 15 days.

B. In cluster 3, the license agreement will remain in compliance for 20 more days.

C. In cluster 4, at least 5 percent of the installed licenses have not been used.

D. In cluster 6, the license agreement has been out of compliance for more 30 days.

Correct Answer: A

QUESTION 3

What is the maximum number of full HD external web app calls that is supported per large OVA Expressway?

A. 800

B. 600

C. 150

D. 200

Correct Answer: B

QUESTION 4

An engineer must configure Cisco Meeting Server integration to Cisco UCM. Which DNS A record must be configured to accomplish this goal?

A. Call Bridge

B. SRV

C. Conference Name

D. Cisco UCM Subscriber

Correct Answer: A

Reference: https://www.cisco.com/c/en/us/support/docs/conferencing/meeting-server/213821-configure-and-integrate-cms-single-combi.html

---

QUESTION 5

A company wants to keep conferencing resources isolated and local for a new branch. The branch has one administrator for both internal and external traffic. Which Cisco Meeting Server deployment should be used?

A. Scalable and Resilient Cisco Meeting Server

B. Cisco Meeting Server Edge

C. Single Combined Cisco Meeting Server

D. Single Split Cisco Meeting Server

Correct Answer: D