300-835^{Q&As}

300-835^{Q&As}

Automating Cisco Collaboration Solutions (CLAUTO)

Pass Cisco 300-835 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/300-835.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

DRAG DROP

Drag and drop the code to complete the curl command that creates a halfwake brand logo using the xAPI HTTP API.
Not all options are used. Code can be used more than one time.

Select and Place:

Answer Area

```
curl -X POST "http://192.168.1.32/ [          ] "                              \
  -H "Content-Type: text/xml"                                                   \
  -H "Authorization: [          ]        cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJODQo="  \
  -d "<Command>
  <UserInterface>
              <  [          ]  >
                <Upload>
                    <Type>HalfwakeBranding</Type>
                <  [          ]  >iVBORw0KGgoAAAANSUhEUgAAARAAAAEQCAYAAA
B4CisVAAAAAXNSR0IArs4c6QAAACBjSFJNAAB6JgAAgIQAAPoAAACA6AAAdTAAAOpgAAA6mAAAF3CculE8
AAAACXBIWXMAABJ0AAASdAHeZh94AAABy2lUWHRYTUw6Y29CC</  [          ]  >
                </Upload>
              </  [          ]  >
  <UserInterface>
</Command>"
```

Options:

body	Branding	getxml
Basic	putxml	Brand
Configuration	Digest	Bearer

Correct Answer:

Answer Area

```
curl -X POST "http://192.168.1.32/ [ putxml ]     "                              \
  -H "Content-Type: text/xml"                                                    \
  -H "Authorization: [ Basic ]      cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJ0DQo="       \
  -d "<Command>
  <UserInterface>
        < [ Branding ] >
              <Upload>
                    <Type>HalfwakeBranding</Type>
                    < [ body ]    >iVBORw0KGgoAAAANSUhEUgAAARAAAAEQCAYAAA
B4CisVAAAAAXNSR0IArs4c6QAAACBjSFJNAAB6JgAAgIQAAPoAAACA6AAAdTAAAOpgAAA6mAAAF3CculE8
AAAACXBIWXMAABJ0AAASdAHeZh94AAABy21UWHRYTUw6Y29CC</ [ body ]     >
              </Upload>
        </ [ Branding ] >
  <UserInterface>
</Command>"
```

| body	Branding	getxml
Basic	putxml	Brand
Configuration	Digest	Bearer

QUESTION 2

DRAG DROP

Drag and drop the elements from the left onto the correct descriptions on the right. Not all options are used.

Select and Place:

Answer Area

reverse proxy	sits in front of web servers and retrieves resources from the web servers on behalf of clients; used to increase security
network switch	controls incoming traffic based on defined rules
load balancer	device that distributes application traffic across a number of servers; used to increase capacity
firewall	translates domain names to IP addresses so browsers can load Internet resources
DNS	

Correct Answer:

Answer Area

network switch	reverse proxy
	firewall
	load balancer
	DNS

QUESTION 3

After the AXL query ns:updatePhone is used to upgrade a phone configuration successfully, the phone does not reflect the change. Which other method must be performed for the change to take effect?

A. ns:getPhone

B. ns:restartPhone

C. ns:rebootPhone

D. ns:savePhone

Correct Answer: B

QUESTION 4

DRAG DROP

Drag and drop the git commands/steps from the left into the correct order on the right to make changes and submit code to a remote repository.

Select and Place:

Answer Area

git add main.py	
git commit -m "fix for #234"	
git clone https://github.com/CiscoDevNet/repo.git	
git push origin master	
Edit file main.py	

Correct Answer:

Answer Area

git clone https://github.com/CiscoDevNet/repo.git

Edit file main.py

git add main.py

git commit -m "fix for #234"

git push origin master

QUESTION 5

Which two methods can be used to add a custom UI panel to a Webex room device? (Choose two.)

A. Import an existing panel configuration file by connecting a USB storage drive to the device.

B. Use xAPI to push a JSON panel configuration to the device.

C. Create a panel using the device UI Extensions Editor (previously In-Room Controls).

D. Restore a device backup file present on a PC that contains a panel configuration.

E. From a T-shell session, use the git command to merge the XML configuration of a panel.

Correct Answer: AE