



# 300-835<sup>Q&As</sup>

Automating Cisco Collaboration Solutions (CLAUTO)

## Pass Cisco 300-835 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-835.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A Webex Teams bot receives a Webhook payload, which notifies the bot that a message was created in a space. Which two API requests must be issued for the bot to answer the author of the message? (Choose two.)

- A. POST /v1/messages
- B. GET /v1/messages/{messageId}
- C. GET /v1/webhooks/{webhookId}
- D. PUT /v1/messages/{messageId}
- E. POST /v1/webhooks

Correct Answer: CE

---

### QUESTION 2

What are two key features of Cisco Unified Communications Manager Serviceability APIs? (Choose two.)

- A. save alarms and events for troubleshooting
- B. connect to serial console on phone hardware
- C. configure firewall rules on phone hardware
- D. scan servers and devices for malware
- E. real-time monitoring of components

Correct Answer: AE

---

### QUESTION 3



```
<xsd:complexType name="metaDataType">
  <xsd:sequence>
    <xsd:element name="confName" type="xsd:string" minOccurs="0"/>
    <xsd:element name="meetingType" type="xsd:long" default="-1" minOccurs="0"/>
    <xsd:element name="agenda" minOccurs="0">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:maxLength value="2500"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:element>
    <xsd:element name="greeting" type="xsd:string" minOccurs="0"/>
    <xsd:element name="location" type="xsd:string" minOccurs="0"/>
    <xsd:element name="invitation" type="xsd:string" minOccurs="0"/>
    <xsd:element name="setNonMTOptions" type="xsd:boolean" minOccurs="0"/>
    <xsd:element name="sessionTemplate" type="com:sessionTemplateType" minOccurs="0"/>
    <xsd:element name="isInternal" type="xsd:boolean" minOccurs="0"/>
  </xsd:sequence>
</xsd:complexType>
```

Refer to the exhibit. Based on this Webex Meetings XML API schema snippet, which XML object is a valid element?

- A. 

```
<metaData>
  <confName>Sample Meeting</confName>
  <meetingType>Event Center</meetingType>
  <agenda>Coding 101</agenda>
  <isInternal>Internal</isInternal>
</metaData>
```
- B. 

```
<metaData>
  <confName>Sample Meeting</confName>
  <meetingType>105</meetingType>
  <agenda>Coding 101</agenda>
  <isInternal>true</isInternal>
</metaData>
```
- C. 

```
<metaData>
  <confname>Sample Meeting</confname>
  <meetingType>105</meetingType>
  <agenda>Coding 101</agenda>
  <isInternal>true</isInternal>
</metaData>
```
- D. 

```
<metaData>
  <confName>Sample Meeting</confName>
  <meetingType>Event Center</meetingType>
  <agenda>Coding 101</agenda>
  <isInternal>no</isInternal>
</metaData>
```

A. Option A



- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

---

#### QUESTION 4

Which URI for XML APIs is used in Cisco Webex Meetings to manage users, meetings, events, and trainings?

- A. <https://api.webex.com/v1/>
- B. <https://api.webex.com/WBXService/XMLService>
- C. <https://api.webex.com/v1/meetings>
- D. <https://api.webex.com/MeetingsService/XMLService>

Correct Answer: B

---

#### QUESTION 5

After the AXL query ns:updatePhone is used to upgrade a phone configuration successfully, the phone does not reflect the change. Which other method must be performed for the change to take effect?

- A. ns:getPhone
- B. ns:restartPhone
- C. ns:rebootPhone
- D. ns:savePhone

Correct Answer: B

[Latest 300-835 Dumps](#)

[300-835 Practice Test](#)

[300-835 Study Guide](#)