



300-835^{Q&As}

Automating Cisco Collaboration Solutions (CLAUTO)

Pass Cisco 300-835 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-835.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

Drag and drop the code to complete the curl command that creates a halfwake brand logo using the xAPI HTTP API. Not all options are used. Code can be used more than one time.

Select and Place:

Answer Area

```
curl -X POST "http://192.168.1.32/ [ ] " \
-H "Content-Type: text/xml" \
-H "Authorization: [ ] cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJ0DQo=" \
-d "<Command>
<UserInterface>
  < [ ] >
    <Upload>
      <Type>HalfwakeBranding</Type>
      < [ ] >iVBORw0KGgoAAAANSUheUgAAAAAAAEQCAYAAA
B4CisVAAAAAXNSR0IARS4c6QAAACBjSFJNAAB6JgAAGIQAAPoAAACA6AAAdTAAAOpgAAA6mAAAF3CculE8
AAAACXBIWXMAABJ0AAASdaHeZh94AAABY2lUWHRYTUw6Y29CC</ [ ] >
    </Upload>
  </ [ ] >
</UserInterface>
</Command>"
```

- | | | |
|--|---------------------------------------|-------------------------------------|
| <input type="text" value="body"/> | <input type="text" value="Branding"/> | <input type="text" value="getxml"/> |
| <input type="text" value="Basic"/> | <input type="text" value="putxml"/> | <input type="text" value="Brand"/> |
| <input type="text" value="Configuration"/> | <input type="text" value="Digest"/> | <input type="text" value="Bearer"/> |

Correct Answer:



Answer Area

```
curl -X POST "http://192.168.1.32/  " \
-H "Content-Type: text/xml" \
-H "Authorization:  cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJ0DQo=" \
-d "<Command>
<UserInterface>
  <  >
    <Upload>
      <Type>HalfwakeBranding</Type>
      <  >iVBORw0KGgoAAAANSUheUgAAAAAAAEQCAYAAA
B4CisVAAAAAXNSR0IARS4c6QAAACBjSFJNAAB6JgAAgIQAAPoAAACA6AAAdTAAAOpgAAA6mAAAF3Ccule8
AAAACXBIWXMAABJ0AAASdaHeZh94AAABY2lUWHRYTUw6Y29CC</  >
    </Upload>
  </  >
</UserInterface>
</Command>"
```

<input style="width: 100px; border: 1px solid black;" type="text" value="body"/>	<input style="width: 100px; border: 1px solid black;" type="text" value="Branding"/>	<input style="width: 100px; border: 1px solid black;" type="text" value="getxml"/>
<input style="width: 100px; border: 1px solid black;" type="text" value="Basic"/>	<input style="width: 100px; border: 1px solid black;" type="text" value="putxml"/>	<input style="width: 100px; border: 1px solid black;" type="text" value="Brand"/>
<input style="width: 100px; border: 1px solid black;" type="text" value="Configuration"/>	<input style="width: 100px; border: 1px solid black;" type="text" value="Digest"/>	<input style="width: 100px; border: 1px solid black;" type="text" value="Bearer"/>

QUESTION 2

DRAG DROP

Drag and drop the code to create a Webex Teams Recents Widget in an existing HTML page. Not all items are used.

Select and Place:



Answer Area

```
<div style="width:300px; height: 500px;"
  id="recents"
  />
<script>
  // Initialize a new widget

  const widgetElement = document.getElementById( ' [ ] ');

  ciscospark.widget(widgetElement). [ ] ({
    accessToken: "YOUR_WEBEX_TEAMS_ACCESS_TOKEN",
    onEvent: callback
  });

  function callback(type,event) {

    if (type == ' [ ] ') {
      console.log("room " + event.data.id + " was selected");
    }
  }
</script>
```

recentsId

selected

my-recents-widget

rooms:selected

recentsWidget

recents

Correct Answer:



Answer Area

```
<div style="width:300px; height: 500px;"  
  id="recents"  
  />  
<script>  
  // Initialize a new widget  
  
  const widgetElement = document.getElementById('my-recents-widget');  
  
  ciscospark.widget(widgetElement).recentsWidget({  
    accessToken: "YOUR_WEBEX_TEAMS_ACCESS_TOKEN",  
    onEvent: callback  
  });  
  
  function callback(type,event) {  
  
    if (type === 'recents') {  
      console.log("room " + event.data.id + " was selected");  
    }  
  }  
</script>
```

recentsId

selected

rooms:selected

QUESTION 3

Which two use cases can be accomplished using the Finesse JavaScript library? (Choose two.)

- A. Integrate customer relationship management capabilities into the Finesse agent desktop.
- B. Build a custom browser-based agent desktop.
- C. Build a Finesse gadget to add quick dial to the Finesse agent desktop.
- D. Build a Finesse gadget to create new agents on the Finesse system.
- E. Build a Finesse gadget to configure Finesse log levels for the Finesse administrator console.

Correct Answer: AB

QUESTION 4



```
import requests

requests.post(' ',
              verify = False,
              auth = ( 'integrator', 'integrator' ),
              headers = { 'Content-Type': 'text/xml' },
              data = '''<Configuration>
                        <UserInterface>
                          <CustomMessage>New Welcome Message</CustomMessage>
                        </UserInterface>
                      </Configuration>'''
)
```

Refer to the exhibit. This exhibit is based on the simple Python script to update a Webex registered room device (local IP = 10.10.20.153) with a new custom half-wake message. What is the URL to complete the requests.post() method?

- A. <http://10.10.20.153:22/>
- B. <http://10.10.20.153/jsxapi>
- C. <http://api.webex.com/v1/ui>
- D. <http://10.10.20.153/putxml>

Correct Answer: D

QUESTION 5

```
def my_function(listOfNumbers, b):
    total1 = b
    total2 = 0

    for num in listOfNumbers:
        if num < 5:
            total1 += num
        else:
            total2 += num

    return total1

listOfNums = [4, 3, 9, 1, 7, 2, 9, 0, 6, 8, 5]
a = my_function(listOfNums, 3)
print(a)
```

Refer to the exhibit. Which value of "a" is displayed when the Python code is executed?

- A. 10



B. 13

C. 18

D. 21

Correct Answer: B

[Latest 300-835 Dumps](#)

[300-835 PDF Dumps](#)

[300-835 Practice Test](#)