300-835^{Q&As}

300-835$^{Q\&As}$

Automating Cisco Collaboration Solutions (CLAUTO)

Pass Cisco 300-835 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/300-835.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

QUESTION 1

```xml
<xsd:element name="associatedDevices" minOccurs="0" maxOccurs="1">
  <xsd:annotation>
    <xsd:documentation>Also known as controlled devices.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence minOccurs="0">
      <xsd:element name="device" type="axlapi:String50" minOccurs="0" maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation>Name of device.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="primaryExtension" minOccurs="0" maxOccurs="1">
  <xsd:annotation>
    <xsd:documentation>Only DNs associated with the associatedDevices of the User can be used as primary extension.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence minOccurs="0">
      <xsd:element name="pattern" type="axlapi:String255" minOccurs="0" maxOccurs="1">
        <xsd:annotation>
          <xsd:documentation>DN or Pattern.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="routePartitionName" type="axlapi:String50" minOccurs="0" maxOccurs="1">
        <xsd:annotation>
          <xsd:documentation>Route Partition to which the DN is associated.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

Refer to the exhibit. The exhibit shows the XML schema to associate a device for the AddUser operation in AXL. Which XML snippet is correct to associate a device with name "SEP151515151515"?

```
A.  <associatedDevices>
        <device name="SEP151515151515">
    <associatedDevices>

B.  <routePartitionName>
        <device>SEP151515151515</device>
    </routePartitionName>

C.  <routePartitionName>
        <device name="SEP151515151515">
    </routePartitionName>

D.  <associatedDevices>
        <device>SEP151515151515</device>
    <associatedDevices>
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

QUESTION 2

DRAG DROP

This Python script automates the creation of a Webex Teams space and adds participants to the space. Drag and drop code on the snippet to complete the script. Not all options are used.

Select and Place:

Answer Area

```
import requests

head = { 'Content-Type': '[          ]',
    'Authorization': 'Bearer NWU4NjQ0YWUtNJYItMWMy_-417f-ae0e10f' }

res = requests.post(url = 'https://api.ciscospark.com/v1/rooms/',
    headers = head, json = { '[          ]': 'Populate members' })

spaceId = res.json()['id']

members = ['ToEnglish@webex.bot', 'ToSpanish@webex.bot']
for members in members:
    requests.post(url='https://api.ciscospark.com/v1/[          ]/',
        headers = head,
        json = { 'roomId': spaceId, '[          ]': member})
```

/memberships	person	title	/rooms

/spaces	personEmail	application/xml

application/json	name	/members

Correct Answer:

Answer Area

```
import requests

head = { 'Content-Type': ' application/json ',
    'Authorization': 'Bearer NWU4NjQ0YWUtNJYItMWMy_-417f-ae0e10f' }

res = requests.post(url = 'https://api.ciscospark.com/v1/rooms/',
    headers = head, json = { ' name ': 'Populate members' })

spaceId = res.json()['id']

members = ['ToEnglish@webex.bot', 'ToSpanish@webex.bot']
for members in members:
    requests.post(url='https://api.ciscospark.com/v1/ personEmail /',
        headers = head,
        json = { 'roomId': spaceId, ' /memberships ': member})
```

person	title	/rooms

/spaces	application/xml

/members

QUESTION 3

Which two capabilities can be implemented in a custom application using the Cisco Unified IP Phone Services API? (Choose two.)

A. Authenticate the phone to the network.

B. Display corporate directory information.

C. Play multicast messages.

D. Upgrade phone firmware.

E. Create new phone devices.

Correct Answer: CE

QUESTION 4

An In-Room Control Panel can be configured as "global" (always available). Which order panel type is supported?

A. Background

B. Do Not Disturb

C. Never

D. Out-of-Call

Correct Answer: D

QUESTION 5

DRAG DROP

Drag drop the code to create a valid AXL API script to create a new Route Partition, using the Python Zeep library. Not all options are used.

Select and Place:

Answer Area

```
from requests import Session
from requests import auth
from zeep import Client
from zeep.transports import Transport

session = Session()
session.auth = auth. [_____] ('Admimistrator', 'ciscopsdt')

client = Client(wsdl = ' [_____] ', transport = Transport(session=session))

service = client.create_service('{http://www.cisco.com/AXLAPIService/}AXLAPIBinding',

    'https://ds-ucm1251.cisco.com [_____] ')

data = {
    'name': 'Secure Lab'
}

resp = service. [_____] (data)
```

| :8443/axl/ | AXLAPI.wsdl | AXLSoap.xsd | HTTPDigestAuth |

| HTTPBasicAuth | createPartition | addRoutePartition | /axlapi |

Correct Answer:

Answer Area

```
from requests import Session
from requests import auth
from zeep import Client
from zeep.transports import Transport

session = Session()
session.auth = auth. [ HTTPBasicAuth ]   ('Admimistrator', 'ciscopsdt')

client = Client(wsdl = ' [ AXLAPI.wsdl ] ', transport = Transport(session=session))

service = client.create_service('{http://www.cisco.com/AXLAPIService/}AXLAPIBinding',

     'https://ds-ucm1251.cisco.com [ :8443/axl/ ] ')

data = {
     'name': 'Secure Lab'
}

resp = service. [ addRoutePartition ] (data)
```

[AXLSoap.xsd]   [HTTPDigestAuth]

[createPartition]   [/axlapi]