



300-835^{Q&As}

Automating Cisco Collaboration Solutions (CLAUTO)

Pass Cisco 300-835 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-835.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

```
<?xml version="1.0" encoding = "UTF-8"?>
<serv:message xmlns:serv="http://www.webex.com/schemas/2002/06/service"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <header>
    <securityContext>
      <siteName>apidemoeu</siteName>
      <webExID>alice@example.com</webExID>
      <sessionTicket>AAABb6TooBMAABUYA0gAKEgyU0sAAAAE9FpXDKRKO</sessionTicket>
    </securityContext>
  </header>
  <body>
    
  </body>
</serv:message>
```

Refer to the exhibit. Alice is a Webex Meetings admin for her organization. Which code snippet completes a Webex Meetings XML API request that returns all users?

- A. `<bodyContent xsi:type=<java:com.webex.service.binding.user.GetUser"> <webExID></webExID> </bodyContent>`
- B. `<bodyContent xsi:type=<java:com.webex.service.binding.user.LstsummaryUser"> </bodyContent>`
- C. `<bodyContent xsi:type=<java:com.webex.service.binding.user.GetUser"> </bodyContent>`
- D. `<bodyContent xsi:type=<java:com.webex.service.binding.user.LstsummaryUser"> <webExID>*</webExID> </bodyContent>`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

QUESTION 2



```
#!/usr/bin/env python
import os
import requests

token = os.environ.get('ACCESS_TOKEN')
url = "https://api.ciscospark.com/v1/messages"
roomId = "abcde12345"

mentionName = ""

markdownTxt = mentionName + ", your registration is confirmed"

payload = { "roomId": roomId, "markdown": markdownTxt }

headers = {
    "Authorization": "Bearer " + token,
    "Content-type": "application/json"
}

response = requests.request("POST", url, data=payload, headers = headers)
```

Refer to the exhibit. Which code snippet is used to mention the bot CiscoDevNet@webex.bot?

- A.
- B. @CiscoDevNet@webex.bot
- C. @personEmail.CiscoDevNet@webex.bot
- D. (@personEmail.CiscoDevNet@webex.bot)

Correct Answer: B

QUESTION 3

Which type of endpoint is used by the Cisco Unified JTAPI implementation in Cisco Unified Communications Manager?

- A. gateways
- B. gatekeepers
- C. phones
- D. SIP trunks

Correct Answer: C

QUESTION 4



```
<xsd:element name="associatedDevices" minOccurs="0" maxOccurs="1">
  <xsd:annotation>
    <xsd:documentation>Also known as controlled devices.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence minOccurs="0">
      <xsd:element name="device" type="axlapi:String50" minOccurs="0" maxOccurs="unbounded">
        <xsd:annotation>
          <xsd:documentation>Name of device.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
<xsd:element name="primaryExtension" minOccurs="0" maxOccurs="1">
  <xsd:annotation>
    <xsd:documentation>Only DNS associated with the associatedDevices of the User can be used as primary extension.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence minOccurs="0">
      <xsd:element name="pattern" type="axlapi:String255" minOccurs="0" maxOccurs="1">
        <xsd:annotation>
          <xsd:documentation>DN or Pattern.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
      <xsd:element name="routePartitionName" type="axlapi:String50" minOccurs="0" maxOccurs="1">
        <xsd:annotation>
          <xsd:documentation>Route Partition to which the DN is associated.</xsd:documentation>
        </xsd:annotation>
      </xsd:element>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

Refer to the exhibit. The exhibit shows the XML schema to associate a device for the AddUser operation in AXL. Which XML snippet is correct to associate a device with name "SEP151515151515"?

- A.

```
<associatedDevices>
  <device name="SEP151515151515">
</associatedDevices>
```
- B.

```
<routePartitionName>
  <device>SEP151515151515</device>
</routePartitionName>
```
- C.

```
<routePartitionName>
  <device name="SEP151515151515">
</routePartitionName>
```
- D.

```
<associatedDevices>
  <device>SEP151515151515</device>
</associatedDevices>
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D

QUESTION 5



DRAG DROP

Drag drop the code to create a valid AXL API script to create a new Route Partition, using the Python Zeep library. Not all options are used.

Select and Place:

Answer Area

```
from requests import Session
from requests import auth
from zeep import Client
from zeep.transports import Transport

session = Session()
session.auth = auth. [ ] ('Administrator', 'ciscopsdt')

client = Client(wsdl = '[ ]', transport = Transport(session=session))
service = client.create_service('{http://www.cisco.com/AXLAPIService/}AXLAPIBinding',
                                'https://ds-ucm1251.cisco.com [ ]')

data = {
    'name': 'Secure Lab'
}

resp = service. [ ] (data)
```

:8443/axl/

AXLAPI.wsdl

AXLSoap.xsd

HTTPDigestAuth

HTTPBasicAuth

createPartition

addRoutePartition

/axlapi

Correct Answer:



Answer Area

```
from requests import Session
from requests import auth
from zeep import Client
from zeep.transports import Transport

session = Session()
session.auth = auth.HTTPBasicAuth('Administrators', 'ciscopsdt')

client = Client(wsdl = 'AXLAPI.wsdl', transport = Transport(session=session))
service = client.create_service('{http://www.cisco.com/AXLAPIService/}AXLAPIBinding',
                                'https://ds-ucm1251.cisco.com:8443/axl/')

data = {
    'name': 'Secure Lab'
}

resp = service.addRoutePartition(data)
```

AXLSoap.xsd

HTTPODigestAuth

createPartition

/axlapi

[300-835 PDF Dumps](#)

[300-835 VCE Dumps](#)

[300-835 Practice Test](#)