



300-920^{Q&As}

Developing Applications for Cisco Webex and Webex Devices
(DEVWBX)

Pass Cisco 300-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/300-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which expression is a valid Webex Teams webhook filter?

- A. personEmail=person@example.com+roomId=abc123
- B. personEmail=person@example.com-roomId=abc123
- C. personEmail=person@example.comandroomId=abc123
- D. personEmail=person@example.com,roomId=abc123

Correct Answer: C

You can also use more than one filter in a webhook. To use multiple filters, combine them with the "and" symbol. For example, to create a webhook that only sends notifications when a specific person performs an action in a specific room, such as sending a message or creating a membership, combine the personEmail and roomId filters.

Reference: <https://developer.webex.com/docs/api/guides/webhooks>

QUESTION 2

Which two items are needed to give a Webex user the ability to archive all Webex Teams messages for an organization? (Choose two.)

- A. Give the user "Read-only administrator privileges" in the Webex Control Hub.
- B. Create an Integration app with all "spark_compliance" read scopes enabled.
- C. Use the Webex Meetings XML API "SetUser" to update the user's "" value to "TRUE".
- D. Configure the user as a "Compliance Officer" in the Webex Control Hub.
- E. Create a Bot app with all "webex_compliance" read scopes enabled.

Correct Answer: AD

Reference: https://www.cisco.com/c/dam/en/us/td/docs/voice_ip_comm/cloudCollaboration/spark/esp/Webex-Teams-Security-Frequently-Asked-Questions.pdf

QUESTION 3



```
xapi.on('ready', () => {  
  console.log("connection successful");  
  
  // Start a call  
  
  * _____ *  
  
  .then((call) => {  
    console.log('Started call with status: ${call.status}, id: ${call.CallId}');
```

Refer to the exhibit. Assume that there is already a connection to a device for this jsxapi.code snippet. Which snippet completes the code so that the connected device makes a call to the user jdoe@example.com?

- A. `xapi.command('Dial', {Endpoint: 'jdoe@example.com'})`
- B. `xapi.command('Call', { SIP: 'jdoe@example.com'})`
- C. `xapi.command('SIP', {Number: 'jdoe@example.com'})`
- D. `xapi.command('Dial', {Number: 'jdoe@example.com'})`

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

Reference: <https://github.com/CiscoDevNet/labs-xapi/pull/12/files/40c9fc38e115f4dec4709836501a165008caeaba>

QUESTION 4



```
function lights(mood) {  
  if (mood === 'chill'){  
    Hue({"on" : true, "bri": 254, "hue": 7676, "sat": 199});  
  }  
  else {  
    Hue({"on": false, "bri": 255, "hue": 255, "sat": 255});  
  }  
}  
  
xapi.on('ready', () => {  
  xapi.event  
    .on('UserInterface Extensions Widget Action', (x) => {  
    if (x.WidgetId === 'widget_3' && x.Type === 'released'){  
      lights(x)  
    }  
  })  
});
```

Refer to the exhibit. Certain lighting conditions are needed when hosting Webex meetings for a particular department in a company. A split button that integrates with the lighting controls is added to the Touch 10. However, when the user selects Chill, the lights turn off completely. Which code change resolves this issue?

- A. Change xapi.event to xapi.httpfeedback.
- B. Set x.Type to 'pressed' instead of 'released'.
- C. Set x.Type to 'clicked' instead of 'released'.
- D. Pass x.Value instead of x to the lights function.

Correct Answer: B

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce81/sx-mx-in-room-control-guide-ce81.pdf>



QUESTION 5

DRAG DROP

Drag and drop the components to create the authentication header used for the Webex Teams API. Not all options are used.

Select and Place:

:

admin:Password12345!	Authorization
Token	Bearer
BH782kjh-2jkhmnb3rlkj3lkjnm3klj3	Authentication
Basic	

Correct Answer:

:

admin:Password12345!	
BH782kjh-2jkhmnb3rlkj3lkjnm3klj3	Authentication
Basic	

Reference: <https://developer.webex.com/docs/guest-issuer>

[300-920 PDF Dumps](#)

[300-920 Study Guide](#)

[300-920 Exam Questions](#)