

300-920^{Q&As}

Developing Applications for Cisco Webex and Webex Devices (DEVWBX)

Pass Cisco 300-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/300-920.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

DRAG DROP

Drag and drop the expressions from the right onto the Webex JavaScript SDK code on the left to create a Webex Teams space, add a person to the space, and send a welcome message. Not all expressions are used.

Select and Place:

```
const Webex = require('webex');
const webex = Webex.init({
     credentials: {
       access token: 'process.env.webextoken'
                                                              memberships
});
                                                                 teams
                    .create({title: 'Q3 Budget Planning'})
webex.
.then(function(x)
                                                                 rooms
    return webex.
                                 .create({
                                                                 messages
       personEmail: 'jle@devnet.i0',
                                                                   X
                            id
       roomId:
      });
 })
.then(function(y) {
  webex.
                       .create({
     text: 'You've been assigned a new task!',
      roomId: y.roomId
    });
 })
```

Correct Answer:

```
const Webex = require('webex');
const webex = Webex.init({
     credentials: {
       access token: 'process.env.webextoken'
});
          teams
                    .create({title: 'Q3 Budget Planning'})
webex.
.then(function(x)
    return webex. memberships .create({
       personEmail: 'jle@devnet.i0',
       roomId:
                            id
                  rooms
      });
 })
.then(function(y) {
  webex.
            messages .create({
     text: 'You' ve been assigned a new task!',
      roomId: y.roomId
    });
 })
```

QUESTION 2

```
1 const webex = windows.webex = Webex.init();
3 webex.once('ready', () => {
4
   const jwt = document.getElementById('context').value;
5
    webex.authorization.requestAccessTokenFromJwt({ jwt })
6
7
          then(() \Rightarrow {
              if (webex.canAuthorize) [
8
9
                   alert('Authenticated!');
10
11
          .catch((err) => {
12
               alert('Authentication.error:' +err);
13
         1);
14
151);
```

Refer to the exhibit. On line 4, the script retrieves a context from a DOM element that was generated from a server-side



https://www.passapply.com/300-920.html

2024 Latest passapply 300-920 PDF and VCE dumps Download

component. How does that server-side component obtain the value for the `context\\' element?

- A. by opening a dialog asking the end-user to paste his personal access token
- B. by completing an authorization code grant flow using the identifier and secret of an OAuth integration
- C. by embedding the access token of a Bot account
- D. by creating a guest token using the identifier and secret of a Guest Issuer application

Correct Answer: B

QUESTION 3

DRAG DROP

Drag and drop the code segments from the right of the screen into the targets on the left to create a script that retrieves a list of rooms using the Webex JavaScript API and outputs the title and ID to the console for one that matches the title "My Webex discussion". Not all code segments are used.

Select and Place:

https://www.passapply.com/300-920.html 2024 Latest passapply 300-920 PDF and VCE dumps Download

	webex.rooms
<pre>var Webex = require("webex") var webex = Webex.init({</pre>	.list({ max:500 })
	<pre>var room = rooms.items.filter(function(room){ return title.room == "My Webex Discussion" });</pre>
	.resolve(function(rooms){
	.getList({ max:500 })
	webex.rooms.get
	then(function(rooms) {
	<pre>var room = rooms.items.filter(function(room) { return room title == "MyWebex Discussion" })[0]:</pre>

Correct Answer:



```
var Webex = require("webex")
var webex = Webex.init({
       credentials: {access_token: 'jhgdhdiuytiut-hgjhgf'}
});
webex.rooms
                                                              });
 .list({
max:500
})
 then(function(rooms) {
                                                               })
 var room = rooms.items.filter(function(room) {
 return room title == "MyWebex Discussion"
})[0];
       console.log(room title.room.id)
})
       catch(function(reason) {
        console.error(reason);
        process.exit(1);
})
```

```
var room = rooms.items.filter(function(room){
  return title.room == "My Webex Discussion"
});
.resolve(function(rooms){
```

```
.getList({
max:500
})
```

webex.rooms.get

Reference: https://github.com/webex/webex-js-sdk/blob/master/README.md

QUESTION 4

Which two tasks should use a Webex bot instead of aWebex integration? (Choose two.)

- A. Ask a question in natural language to obtain the current price of a stock.
- B. Translate a word or phrase from Italian to English.
- C. Notify all users who send a 1:1 message that the user is currently out of the office.
- D. Automatically delete a message that was sent with spelling or grammatical errors.

https://www.passapply.com/300-920.html

2024 Latest passapply 300-920 PDF and VCE dumps Download

E. Archive all the messages in a group space.

Correct Answer: AB

Reference: https://developer.webex.com/docs/bots

QUESTION 5

DRAG DROP

Drag and drop the code to complete the snippet that sends a message to the room "My First Room" using the Browser SDK. Not all options are used.

Select and Place:

```
var webex = require ('webex/env');
 webex.rooms.list({
     max: 10
 })
      .then(function(rooms) {
      var room = rooms.items.filter(function (room) {
       return room.title === 'My First Room!';
      }) [0];
 return webex.
                                     ({
              'Hello World!',
               room.id
  });
})
//Make sure to log errors in case something goes wrong.
.catch (function(reason) {
  console.error(reason);
   process.exit(1);
});
```

send text:

create roomId:

messages message:

Correct Answer:

```
var webex = require ('webex/env');
 webex.rooms.list({
     max: 10
 })
      .then(function(rooms) {
     var room = rooms.items.filter(function (room) {
       return room.title === 'My First Room!';
      ) [0];
 return webex.
               messages
                            create
              'Hello World!',
     text:
    roomId:
               room.id
  });
})
//Make sure to log errors in case something goes wrong.
.catch (function(reason) {
 console.error(reason);
   process.exit(1);
});
```

send

message:

Reference: https://developer.webex.com/docs/sdks/node

300-920 PDF Dumps

300-920 VCE Dumps

300-920 Exam Questions