



304-150^{Q&As}

LPI Level 3 Exam 304, Senior Level Linux Certification, Virtualization & High Availability

Pass Lpi 304-150 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/304-150.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In Red Hat Cluster Suite, which one of the following commands shows the right syntax for fencing the node on port 3 using the APC rack PDU device which can be found at IP address 192.168.1.145?

- A. `apc_stonith a 192.168.1.145 l apc n 3 v o shutdown r now`
- B. `fence_apc a 192.168.1.145 l apc p apc n 3 v o shutdown r now`
- C. `fence_apc a 192.168.1.145 l apc p apc n 3 v o reboot`
- D. `apc_stonith a 192.168.1.145 l apc p apc n 3 v o reboot`

Correct Answer: C

QUESTION 2

Which one of the following statements regarding quorum in a two node Pacemaker cluster is TRUE?

- A. Quorum needs to be disabled in a two node cluster or else it will not be reliable.
- B. With a two node cluster, quorum works fine.
- C. The default quorum policy in a two node cluster needs to be set to freeze or it will not work.
- D. The default quorum policy in a two node cluster needs to be set to ignore or it will not work.

Correct Answer: D

QUESTION 3

What value to the o option is missing from the following command in order to add the contents of the cluster.xml file to the current Pacemaker cluster?

`cibadmin C o _____ x cluster.xml`

- A. status
- B. nodes
- C. resources
- D. constraints
- E. config

Correct Answer: C

**QUESTION 4**

In order to specify that a Xen virtual machine should start at boot time, under which directory must the VM's configuration file (or a link to it) be placed? (Please specify the directory name with or without the full default path) Your Response:

Correct Answer: /etc/xen/auto auto

QUESTION 5

Which command should be used to make a backup of the current state and configuration of a Pacemaker cluster?

- A. cibadmin Q > backup.xml
- B. crm_mon vvv > backup.xml
- C. cibadmin V > backup.xml
- D. crm_backup
- E. cibadmin E force > backup.xml

Correct Answer: A

[304-150 VCE Dumps](#)

[304-150 Practice Test](#)

[304-150 Exam Questions](#)