



304-200^{Q&As}

LPIC-3 Exam 304: Virtualization & High Availability, version 2.0

Pass Lpi 304-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/304-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements is true regarding journals of a GFS2 filesystem?

- A. Each GFS2 filesystem has exactly one journal.
- B. Once a GFS2 filesystem is created, the number of journals cannot be changed.
- C. Every node that simultaneously mounts the filesystem requires its own GFS2 journal.
- D. Journals were heavily used in GFS and are deprecated and optional in GFS2.
- E. The GFS Cluster Journal Daemon, GCJD, handles the journaling in a GFS2 cluster.

Correct Answer: C

QUESTION 2

After the Xen guest configuration file `debian.cfg` has been created and successfully tested, which additional action must be performed in order to make this Xen guest start automatically every time the host system boots?

- A. It is necessary to add `xendomains_auto = yes` to the virtual machine configuration file.
- B. It is necessary to add an entry for `debian.cfg` to the file `/etc/xen/guesttab`.
- C. It is necessary to run the command `xl autostart debian.cfg`.
- D. It is necessary to add a symbolic link to the configuration file in the `/etc/xen/auto/` directory.
- E. It is not possible to use Xen and its tools to start virtual machines automatically.

Correct Answer: D

QUESTION 3

Which of the following statements are true regarding IaaS computing instances? (Choose TWO correct answers.)

- A. Creation of new instances can be automated by using scripts or APIs and service interfaces.
- B. The root file system of a computing instance is always persistent and can be accessed after the instance is destroyed.
- C. Each and every user of an IaaS cloud has exactly one computing instance.
- D. Once created, computing instances are seldom deleted in order to ensure the accessibility of the instance's data.
- E. Instances may be created when needed and destroyed when they become obsolete.

Correct Answer: AE



QUESTION 4

Which of the following statements are true regarding the handling of a hardware error in a high availability cluster?
(Choose THREE correct answers.)

- A. High availability provides automatic recovery from software errors only and cannot mitigate hardware issues.
- B. After the cluster deals with an error, no manual actions are required to bring the cluster back to normal operation.
- C. Erroneous components are physically turned off as they are in an undefined state.
- D. Services are restarted on or redirected to other cluster nodes.
- E. The cluster management components monitor the health of all cluster components.

Correct Answer: CDE

QUESTION 5

Which configuration setting ultimately determines which server will be the MASTER with keepalived?

- A. advert_int
- B. state
- C. type
- D. priority

Correct Answer: D

Reference: <https://manpages.debian.org/stretch/keepalived/keepalived.conf.5.en.html>

[Latest 304-200 Dumps](#)

[304-200 VCE Dumps](#)

[304-200 Exam Questions](#)