



# 3203<sup>Q&As</sup>

Avaya Aura Messaging Implementation and Maintenance Exam

## Pass Avaya 3203 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/3203.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

In which screen would you look to see which Communication Manager, System Platform and Avaya Aura Messaging (AAM) service packs are currently available and active on the messaging system?

- A. Open the System Management Interface and navigate to Messaging Administration > Server Maintenance > Server Configuration > Display Server configuration.
- B. Open the System Management Interface and navigate to MessagingAdministration > Messaging>Reports > System Evaluation.
- C. Open the cdom and navigate to ServerManagement PatchManagement > Manage.
- D. Open the cdom and navigate to ServerManagement >System Configuration.

Correct Answer: C

---

#### QUESTION 2

Which IP codec set is supported for Avaya Aura Messaging?

- A. G.711
- B. G.729
- C. G.723
- D. G.722

Correct Answer: A

---

#### QUESTION 3

Which types of servers can be used for storing messages addressed to users in Avaya Aura Messaging Rls.6.1?

- A. Avaya Message Storage only
- B. Avaya Message Storage or Microsoft Exchange
- C. Avaya Message Store, Microsoft Exchange or Lotus Domino
- D. Avaya Message Store, Microsoft Exchange or Lotus Zimbra

Correct Answer: D

---

#### QUESTION 4



A customer wants to use the high encryption method to encrypt their messages. Which option under ip codec-set should be set to "high encryption" while integrating Avaya Aura Messaging with Avaya Communication Manager?

- A. SRTP-LOW
- B. 1 srtp-aescm 128hmac80
- C. 2-srtp-aescm 128-hmac32
- D. SRTP-HIGH

Correct Answer: B

---

#### QUESTION 5

An end user has a completely functional mailbox but complains that when using Notify Me to phone is configured with a long distance number, calls are not received. The user is one of the groups of users with this problem. Other users can use long distance numbers for their Notify Me to Phone number successfully. Your testing reveals that the problem is exactly as described using the same long distance number; one user successfully uses Notify Me to Phone and a non working user cannot. What is causing the problem?

- A. The non working users class of service does not allow long distance dialing from the system.
- B. The non working users mailbox configuration is set to disallow long distance dialing from system.
- C. Dialing rules have been configured incorrectly for the system.
- D. The non working users do not have extensions that are configured in the switch.

Correct Answer: A

[3203 PDF Dumps](#)

[3203 VCE Dumps](#)

[3203 Practice Test](#)