350-050^{Q&As}

CCIE Wireless Written

Pass Cisco 350-050 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/350-050.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Refer to the exhibit.

You have just configured multicast on the wired network and the controller. You configured the multicast address on the Cisco WLC to be 239.0.1.25, with IGMP snooping disabled. Clients 1 and 3 are associated to AP1, and Client 2 is associated to AP2. All three clients are associated and authenticated to WLAN 1. Using Client 1, you send an IGMP join request to test the multicast application on the wireless network.

Which client or clients will need to process the multicast traffic?

A. none of the clients

B. Client 1

C. Clients 1 and 2

D. Clients 1, 2, and 3

E. Clients 1 and 3

Correct Answer: D

QUESTION 2

In a Cisco Unified Wireless Network environment, which two of these are required in order for clients to connect with

MCS data rates? (Choose two.)

A. EDCF

B. client MFP

C. multiple spatial streams

D. AES-CCMP

E. 40-MHz channels

Correct Answer: AD

QUESTION 3

Refer to the exhibit.

Which three statements about the configured attribute or value in ACS are true? (Choose three.)

A. It is returned within a RADIUS packet.

B. It is returned within a TACACS+ packet.

C. It grants the use of configuration commands on autonomous APs.

D. It grants at least read-only access to all the menus in the Cisco WLC GUI.

E. It is case sensitive.

F. It is not case sensitive.

Correct Answer: BDE

QUESTION 4

What is the function of the distance command on an autonomous 802.11 bridge?

A. to adjust the data rate of the packet transmission

B. to adjust the bridge timeout values to account for the time that is required for radio signals to travel from bridge to

bridge

C. to give the person reading the configuration an idea of how far apart the bridge links are

D. to increase the time that is needed for authentication

Correct Answer: B

QUESTION 5

What is the minimum number of rules that is necessary in a CPU ACL to allow all access from a single VLAN to the management interface, yet prevent management access from all other VLANs while permitting all other traffic?

A. five

B. six

C. seven

D. eight

Correct Answer: B

[350-050 VCE Dumps](#)   [350-050 Practice Test](#)   [350-050 Braindumps](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:

One Year Free Update
Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.

Money Back Guarantee
To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.

Security & Privacy
We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.