351-018^{Q&As}

CCIE Security written

Pass Cisco 351-018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/351-018.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Which two security measures are provided when you configure 802.1X on switchports that connect to corporate-controlled wireless access points? (Choose two.)

A. It prevents rogue APs from being wired into the network.

B. It provides encryption capability of data traffic between APs and controllers.

C. It prevents rogue clients from accessing the wired network.

D. It ensures that 802.1x requirements for wired PCs can no longer be bypassed by disconnecting the AP and connecting a PC in its place.

Correct Answer: AD

QUESTION 2

What entities decrypt a transmission sent by a GDOI group member?

A. all group members

B. the key server only

C. the peer that is indicated by the key server

D. the key server and the peer that is indicated by the key server

Correct Answer: A

QUESTION 3

Which option is used to collect wireless traffic passively, for the purposes of eavesdropping or information gathering?

A. network taps

B. repeater Access Points

C. wireless sniffers

D. intrusion prevention systems

Correct Answer: C

QUESTION 4

crypto gdoi group gdoi_group

identity number 1234

server local

sa receive-only

sa ipsec 1

profile gdoi-p

match address ipv4 120

Which statement about the above configuration is true?

A. The key server instructs the DMVPN spoke to install SAs outbound only.

B. The key server instructs the GDOI group to install SAs inbound only.

C. The key server instructs the DMVPN hub to install SAs outbound only.

D. The key server instructs the GDOI spoke to install SAs inbound only.

Correct Answer: B

QUESTION 5

When configuring a switchport for port security that will support multiple devices and that has already been configured for 802.1X support, which two commands need to be added? (Choose two.)

A. The 802.1X port configuration must be extended with the command dot1x multiple-host.

B. The 802.1X port configuration must be extended with the command dot1x port-security.

C. The switchport configuration needs to include the command switchport port-security.

D. The switchport configuration needs to include the port-security aging command.

E. The 802.1X port configuration needs to remain in port-control force-authorized rather than port- control auto.

Correct Answer: AC

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: