

351-080^{Q&As}

CCIE Data Center Written

Pass Cisco 351-080 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/351-080.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers




https://www.passapply.com/351-080.html

2021 Latest passapply 351-080 PDF and VCE dumps Download

QUESTION 1

Refer to the exhibit.



While attempting to modify a management firmware package, you receive the error that is shown in the exhibit. Which two statements explain this error? (Choose two.)

- A. The management firmware package that is referenced by the service profile has been deleted.
- B. The Cisco UCS Manager version is 2.1 or later.
- C. Cisco Integrated Management Controller firmware should be managed via the host firmware policy.
- D. You cannot modify the management firmware directly when a policy has been assigned.
- E. The user that is logged into Cisco UCS Manager does not have sufficient privileges.

Correct Answer: BC


QUESTION 2

Select and Place:




https://www.passapply.com/351-080.html

2021 Latest passapply 351-080 PDF and VCE dumps Download



Correct Answer:



QUESTION 3

Where can port profiles be applied to a virtual machine?

- A. on the VSM only
- B. on vCenter only
- C. on VSM and vCenter
- D. on VSM and VEM
- E. on VSM, VEM, and vCenter

Correct Answer: B

QUESTION 4

Select and Place:



https://www.passapply.com/351-080.html

2021 Latest passapply 351-080 PDF and VCE dumps Download

orag the terms on the left to the correct descrption on the right	
device alias	locks fabric forzoning change
FC alias	unlocks fabric after zoning change
ACA	triggers fabric to make zone change active
UFC WHITE	Cisco Proprietary
RCA	can map to multiple PWWNs

Correct Answer:

Drag the terms on the left to the correct description on the right	
	ACA
	RCA
	UFC
and the state of t	device alias
· ·	FC alias

QUESTION 5

Cisco DCNM-LAN supports the configuration and monitoring of many Cisco NX-OS features, including which two of these Ethernet protocols? (Choose two.)

- A. GLBP
- B. HSRP
- C. IRDP
- D. VRRP

Correct Answer: AB

Latest 351-080 Dumps

351-080 PDF Dumps

351-080 VCE Dumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © passapply, All Rights Reserved.