



# 352-011<sup>Q&As</sup>

Cisco Certified Design Expert Practical

## Pass Cisco 352-011 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/352-011.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which two options are Loop-Free Alternate design considerations? (Choose two)

- A. MPLS TE must be enabled because it is used for building the backup paths
- B. Backup coverage and effectiveness is dependent on the network topology
- C. It can simplify the capacity planning by matching the backup path with the post- convergence path
- D. It provides an optional backup path by avoiding low bandwidth and edge links
- E. It can impact SLA-sensitive appliance by routing traffic to low bandwidth links while IGP convergence is in progress

Correct Answer: BE

---

### QUESTION 2

Which feature or technology that affects the operations of IPsec should be taken into account when designing an IPsec network using Authentication header?

- A. TCP MSS adjustment
- B. Certificate-based authentication
- C. Transform set
- D. NAT

Correct Answer: D

---

### QUESTION 3

Which mechanism provides fast path failure detection?

- A. Non-Stop Forwarding
- B. Carrier delay
- C. Graceful restart
- D. UDLD
- E. Fast hello packets
- F. iSPF

Correct Answer: E

---

**QUESTION 4**

ACME Corporation is deploying a new HR application that requires the network infrastructure to monitor and react to certain condition in the network.

Which feature should be used to meet this design requirement?

- A. IP SLA
- B. reflect ACLs
- C. Cisco IOS Embedded Event Manager
- D. SOAP

Correct Answer: C

---

**QUESTION 5**

Which two conditions are required for successful route aggregation? (Choose two) A. Contiguous prefix allocation

- B. Logical separation between zones or layers within networks
- C. Matching traffic aggregation with route aggregation locations
- D. Consistent prefix allocations per network
- E. Physical separation between zones or layers within networks

Correct Answer: BD

[352-011 Practice Test](#)

[352-011 Exam Questions](#)

[352-011 Braindumps](#)