



400-051^{Q&As}

CCIE Collaboration Written

Pass Cisco 400-051 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/400-051.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.



Which two phone security functions are available to this Cisco IP phone? (Choose two.)

- A. default Authentication of TFTP downloaded files using a signing key
- B. encryption of TFTP configuration files using a signing key
- C. encrypted call signaling but unencrypted call media
- D. encrypted call media but unencrypted call signaling
- E. encrypted call signaling and media
- F. local trust verification on the phone

Correct Answer: AB

QUESTION 2

Which Device Pool configuration setting will override the device-level settings only when a device is roaming within a device mobility group?

- A. Region
- B. Location
- C. SRST Reference



D. Calling Party Transformation CSS

E. Media Resource Group List

Correct Answer: D

Device Mobility Related Settings: The parameters under these settings will override the device-level settings only when the device is roaming within a Device Mobility Group. The parameters included in these settings are: ?Device Mobility Calling Search Space ?AAR Calling Search Space ?AAR Group ?Calling Party Transformation CSS ?Called Party Transformation CSS The device mobility related settings affect the dial plan because the calling search space dictates the patterns that can be dialed or the devices that can be reached.

QUESTION 3

Which of the following Cisco IOS-XE dial-peer commands has the highest preference for outbound SIP dial-peer selection?

A. Destination uri

B. Destination uri-diversion

C. Destination calling e164-pattern-map

D. Destination-pattern

E. Carrier-id target

F. Destination e164-pattern-map

Correct Answer: C

QUESTION 4

Refer to the exhibit. Which option correctly describes the output shown?



```
RTR#deb ccm-manager events
Jan 1 18:49:27.631: cmapp_host_fsm: Processing event GO_ACTIVE for
host 0
(172.16.100.11) in state DOWN
Jan 1 18:49:27.631: cmapp_start_host_tmr: Host 0 (172.16.100.11),
tmr 0, duration 15000
Jan 1 18:49:27.631: cmapp_open_new_link: Open link for [0]:
172.16.100.11
Jan 1 18:49:27.631: cmapp_open_tcp_link: Opening TCP link with Rem
IP 172.16.100.11, Local IP 172.16.100.1, port 2428
Jan 1 18:49:27.635: cmapp_open_new_link: Open initiated OK: Host 0
(172.16.100.11), session_id-4CD48CD8
Jan 1 18:49:27.635: cmapp_host_fsm: New state ACTIVE_OPENING for
host 0 (172.16.100.11)
Jan 1 18:49:41.631: cmgb_tcp_open_ind: TCP open failed for
172.16.100.11, calling callback.
Jan 1 18:49:41.631: cmapp_host_fsm_process_event: Signal from
unknown TCP session 4CD48CD8
Jan 1 18:49:42.631: cmapp_host_fsm: Processing event
OPEN_LINK_TIMEOUT for host 0 (172.16.100.11) in state
ACTIVE_OPENING
Jan 1 18:49:42.631: cmapp_host_fsm: New state DOWN for host 0
(172.16.100.11)
Jan 1 18:49:42.631: cmapp_mgr_process_ev_active_host_failed:
Active host 0 (172.16.100.11) failed
Jan 1 18:49:42.631: cmapp_mgr_check_hostlist: Active host is 0
(172.16.100.11)
Jan 1 18:49:42.631: cmapp_mgr_check_hostlist: Host 0
(172.16.100.11) going active
Jan 1 18:49:42.631: cmapp_try_fallback(set_to_mode =ON)
Jan 1 18:49:42.631: cmapp_shut_backhaul: backhaul link shutdown is
not configured
Jan 1 18:49:42.631: cmapp_try_fallback: fallback is already ON
```

- A. The ccm switchback uptime-delay was incorrectly set to immediate instead of graceful.
- B. Fallback for the PRI worked successfully when the connection to CUCM was lost.
- C. The ccm-manager fallback-mgcp command is missing from the configuration.
- D. The redundant CUCM servers will be tried after 15 seconds has passed.

Correct Answer: C



QUESTION 5

When using LDAP synchronization to automatically create and synchronize Cisco Unified Communications Manager end users, which two LDAP attributes can be synchronized to directory URI? (Choose two.)

- A. emailaddress
- B. msRTCSIPuseraddress
- C. mail
- D. msRTCSIPprimaryuseraddress
- E. email

Correct Answer: CD

[Latest 400-051 Dumps](#)

[400-051 PDF Dumps](#)

[400-051 VCE Dumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.passapply.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © passapply, All Rights Reserved.