

400-351^{Q&As}

CCIE Wireless Written

Pass Cisco 400-351 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/400-351.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

You are a network administrator and have been asked to enable wireless IPv6 support for client connectivity on your WLC 5520 running AireOS code 8.x. Which three prerequisites must be in place? (Choose three.)

A. The VLAN must be untagged when entering the controller interfaces.

- B. The wireless LAN controller must have Layer 3 adjacency to the IPv6 router.
- C. The VLAN must be tagged when entering the controller interfaces.

D. The underlying wired network must support IPv6 routing and an address assignment mechanism such as SLAAC or DHCPv6.

E. The wireless LAN controller must have Layer 2 adjacency to the IPv6 router.

F. An IPv6-capable router and/or switch are optional because the wireless LAN controller can use internal DHCPv6 address assignments.

Correct Answer: CDE

QUESTION 2

Which feature helps determine the Wi-Fi signal level in dBm at which an AP radio demodulates and decodes a packet from wireless client?

- A. optimized roaming
- B. Receiver Start of Packet Detection Threshold
- C. RSSI low check
- D. client load balancing
- E. band select
- Correct Answer: B

QUESTION 3

Assuming that the antenna system characteristics (for example, gain VSWR, polarization and beam width) are similar for a 5-GHz and 2.4-GHz radio. While conducting a dual band site survey, how to configure the 5-GHz radio, relative to the 2.4-GHz radio, in order to achieve similar cell size?

A. The 5-GHz radio power level should be higher than the 2.4-GHz radio

B. The 5-GHz radio should use BPSK modulation and the 2.4 GHz radio should use CCK modulation

C. The 5-GHz radio power level should be lower than the 2.4-GHz radio

D. The 5-GHz radio should use CCK modulation and the 2.4-GHz radio should use BPSK modulation



Correct Answer: A

QUESTION 4

RX-SOP is configured for SGHz radio with value set as "High Threshold". Which two clients will associate to the AP? (Choose Two)

- A. client with RSSI-75 dBm
- B. client with RSSI-79d8m
- C. client with RSSI-77dBm
- D. client with RSSI-73dBm


Correct Answer: AD

QUESTION 5

DRAG DROP


Drag and drop the 802.11 technology feature on the left to the related frame type and IE on the right.

Select and Place:



Correct Answer:





Latest 400-351 Dumps

400-351 Exam Questions

400-351 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



Money Back Guarantee To ensure that you are spending on

To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © passapply, All Rights Reserved.