



# 4A0-101<sup>Q&As</sup>

Alcatel-Lucent Interior Routing Protocols and High Availability

## Pass Alcatel-Lucent 4A0-101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-101.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

When configuring a filter, where should the most explicit entries be placed?

- A. At the bottom
- B. In the middle
- C. At the top
- D. It does not matter where they are placed.

Correct Answer: C

---

### QUESTION 2

Which of the following best describes the type of packets used by OSPF routers to exchange updates on a point-to-point link?


- A. IP packets sent to an IP multicast address.
- B. TCP packets sent to an IP multicast address.
- C. IP packets sent to an IP unicast address.
- D. UDP packets sent to an IP multicast address.

Correct Answer: A

---

### QUESTION 3

Click on the exhibit.



OSPF is operational on all links in the network diagram, all links have the same cost and all routers are configured with an ECMP value of 4. Router R4 advertises the prefix 192.168.3.0/24 into OSPF.

How many entries for prefix 192.168.3.0/24 will be in router R1's routing table?

- A. 0
- B. 1
- C. 2
- D. 3
- E. 4

Correct Answer: B

#### QUESTION 4

What address is used when RIPv2 uses multicast to send its updates?


- A. 224.0.0.5
- B. 224.0.0.6
- C. 224.0.0.9
- D. 224.0.0.10
- E. RIPv2 does not have support for multicast



Correct Answer: C

## QUESTION 5

Click on the exhibit.



All ports in the network are operationally up and have a speed of 1Gbps.

Which of the following is TRUE?

- A. Data traffic from network 192.168.1.0/24 to 192.168.3.0/24 will be forwarded through router R2.
- B. Data traffic from network 192.168.3.0/24 to 192.168.1.0/24 will be forwarded through router R2.
- C. The system interface of routers R1 and R3 must be included into OSPF for traffic to flow between the 192.168.1.0/24 and 192.168.3.0/24 networks.
- D. The OSPF adjacency between router R1 and router R3 is operationally down.

Correct Answer: B



VCE & PDF

PassApply.com

<https://www.passapply.com/4a0-101.html>

2024 Latest passapply 4A0-101 PDF and VCE dumps Download

---

[Latest 4A0-101 Dumps](#)

[4A0-101 PDF Dumps](#)

[4A0-101 Exam Questions](#)