



# 4A0-102<sup>Q&As</sup>

Alcatel-Lucent Border Gateway Protocol

## Pass Alcatel-Lucent 4A0-102 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-102.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

An Alcatel-Lucent 7750 SR receives a route from an iBGP peer with a MED value of 500.

What MED value is sent to eBGP peers?

- A. 100
- B. The IGP cost
- C. 500
- D. None

Correct Answer: D

---

#### QUESTION 2

An Alcatel-Lucent 7750 SR is configured with an export policy to redistribute its directly- connected networks into BGP. Which of the following databases contains the routes for these networks?

- A. The routes are in the RIB-In.
- B. The routes are in the Loc-RIB.
- C. The routes are in the RIB-Out.
- D. The routes are not in any of the BGP databases.

Correct Answer: C

---

#### QUESTION 3

A BGP session is in OpenConfirm state. Which of the following messages must be received to transition to Established state?

- A. Update
- B. Open
- C. Notification
- D. Keepalive

Correct Answer: D

---

#### QUESTION 4



What is the result of configuring the following policy statement as a BGP import policy on the Alcatel-Lucent 7750 SR?

```
policy-statement "Policy-1"  
  entry 10  
    from  
      protocol bgp  
      prefix-list "List-1" "List-2"  
    exit  
    action reject  
  exit  
exit  
default-action accept
```

- A. All BGP routes are accepted.
- B. All routes matching prefix lists "List-1" and "List-2" are rejected.
- C. BGP routes matching prefix lists "List-1" or "List-2" are rejected.
- D. BGP routes matching prefix lists "List-1" and "List-2" are rejected.

Correct Answer: C

---

#### QUESTION 5

Which of the following regarding BGP authentication on the Alcatel-Lucent 7750 SR is FALSE?

- A. Authentication is performed before establishing the BGP session.
- B. Authentication can only be configured on the group or neighbor level.
- C. By default, MD5 authentication is disabled.
- D. Peer authentication may be optionally requested in an open message.

Correct Answer: B

[Latest 4A0-102 Dumps](#)

[4A0-102 VCE Dumps](#)

[4A0-102 Exam Questions](#)