

# 4A0-106<sup>Q&As</sup>

Alcatel-Lucent Virtual Private Routed Networks

# Pass Alcatel-Lucent 4A0-106 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/4a0-106.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center


- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

Click the exhibit.





PE2>config>service>vprn# bgp group "toCE2" neighbor 10.2.5.5 export "export-to-CE"

PE2# config>service>vprn# aggregate 172.0.0.0/16 summary-only as-set

Based on the VPRN aggregate route configuration, which routes are advertised to CE2?

A. 172.12.10.0/24, 172.12.20.0/24 and 172.0.0.0/16

B. 172.12.0.0/16 only

C. 172.12.10.0/24 and 172.12.20.0/24

D. 172.0.0.0/16 only


Correct Answer: C

## QUESTION 2

#### https://www.passapply.com/4a0-106.html

2024 Latest passapply 4A0-106 PDF and VCE dumps Download

#### Click the exhibit.



The CLI command "remove-private" is configured on PE1 to eliminate BGP loops in the VPRN. For the displayed route, what is the value of the AS-Path field?

A. 64496 64512

B. 64512

C. 64496

D. 64512 64496

Correct Answer: C

#### **QUESTION 3**

Which of the following about inter-AS model B VPRN is FALSE?

- A. Model B does not require the configuration of VPRN instances on ASBRs.
- B. The ASBRs peer with each other to transport VPN-IPv4 routes between autonomous systems.
- C. PE routers distribute VPN-IPv4 routes to their local ASBR.
- D. One single ASBR is required in each AS to hold the routes for all VPRNs.

Correct Answer: D

### https://www.passapply.com/4a0-106.html

2024 Latest passapply 4A0-106 PDF and VCE dumps Download

#### **QUESTION 4**

In a VPRN, how does the service provider ensure that customer addresses are unique when multiple customers use the same address space?

- A. It is the customer responsibility to ensure their address space is unique
- B. The Route Distinguisher ensures that addresses are unique between customers.
- C. The Route Target ensures that addresses are unique between customers
- D. The provider will advise the customers to change their addresses
- E. The provider will use NAT to ensure that addresses are unique between customers

Correct Answer: B

#### **QUESTION 5**

What is wrong with the configuration shown below?

- A. The VPRN ID must be the same value as is used in the vrf-target command
- B. The VPRN ID must be the same value as is used in the route-distinguisher command
- C. The router-id command should not be used in this context
- D. The vrf-target command is mandatory
- E. There is nothing wrong with this configuration

Correct Answer: E

4A0-106 VCE Dumps

4A0-106 Practice Test

4A0-106 Study Guide