



4A0-106^{Q&As}

Alcatel-Lucent Virtual Private Routed Networks

Pass Alcatel-Lucent 4A0-106 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-106.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

When configuring BGP as the PE-CE protocol on an Alcatel-Lucent 7750 SR, the configuration on the CE is done under the _____ context and the PE configuration is under the _____ context.

```
A:CE-1# show router bgp routes
=====
BGP Router ID : 10.10.10.76      AS : 65200   Local AS : 65200
=====
Legend -
Status codes : u - used, s - suppressed, h - history, d - decayed, * - valid
Origin codes : i - IGP, e - EGP, ? - incomplete, > - best
=====
BGP Routes
=====
Flag  Network                Nexthop          LocalPref  MED
     VPN Label
-----
u*>? 10.1.2.0/24              10.16.1.1       none       none
     65100 65100
u*>? 10.10.10.78/32          10.16.1.1       none       none
     65100 65100
u*>i 10.32.1.0/24            10.16.1.1       none       none
     65100
```

- A. Global, router
- B. Router, router
- C. Service, router
- D. Router, service
- E. Service, service
- F. Router, global

Correct Answer: D

QUESTION 2

When a Service Provider offers VPRN services to its customers, which of the following functions are expected to be the responsibility of the Service Provider? (Choose three)

- A. Distributing the customer generated labels between sites
- B. Distributing the customer routing information between
- C. Forwarding the customer originated data packets to the appropriate destination



- D. Forwarding the provider originated data packets to the appropriate customer site
- E. Providing secure layer 3 routing exchange between sites

Correct Answer: BCE

QUESTION 3

A customer has two sites connected to PE-1 and a third site dual-homed to PE-2 and PE-3. If BGP is used as the PE-CE protocol, what is the total number of BGP and MP-BGP sessions required on PE-1 for a functional VPRN service? Assume that route reflection is not used.

- A. 0 BGP and 2 MP-BGP sessions
- B. 2 BGP and 0 MP-BGP sessions
- C. 2 BGP and 1 MP-BGP sessions
- D. 2 BGP and 2 MP-BGP sessions
- E. 1 BGP and 2 MP-BGP sessions

Correct Answer: D

QUESTION 4

The policies shown below from the configuration of an Alcatel-Lucent 7750 SR have been created to implement an Extranet VPRN between the main sites of two separate VPRNs. How should these policies be applied?

- A. ample Policy should be applied as an export policy on the PE connected to the main site of Customer 1
- B. ample Policy 3 should be applied as an export policy on the PE connected to the main site of Customer 2
- C. ample Policy 3 should be applied as an export policy on both PEs connected to the main site of Customer 1 and the main site of Customer 2
- D. ample Policy should be applied as an export policy on both PEs connected to the main site of Customer 1 and the main site of Customer 2
- E. ample Policy should be applied as an export policy on all PEs connected to sites of Customer 1

Correct Answer: A

QUESTION 5

Which of the following about VPRN Outbound Route Filtering (ORF) is FALSE?

- A. Resources consumed at the sender and receiver PEs can be reduced by using BGP ORF.
- B. BGP ORF allows a receiving PE to filter out unnecessary inbound routes.



C. A PE indicates its ORF capabilities to its neighbor PE in a BGP Open message.

D. BGP ORF is most effective when a large number of routes is being exchanged between two peers, and most routes are filtered out on arrival.

Correct Answer: B

[Latest 4A0-106 Dumps](#)

[4A0-106 Exam Questions](#)

[4A0-106 Braindumps](#)