

# 4A0-C01<sup>Q&As</sup>

Nokia NRS II Composite Exam

# Pass Nokia 4A0-C01 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/4a0-c01.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# https://www.passapply.com/4a0-c01.html 2024 Latest passapply 4A0-C01 PDF and VCE dumps Download

#### **QUESTION 1**

What are the similarities between OSPF and IS-IS? Choose two.

- A. Metric is cost based
- B. Slow convergence
- C. Automatic summarization
- D. Support CIDR

Correct Answer: AD

#### **QUESTION 2**

Which of the following about an ERO in an RSVP PATH message is FALSE?


- A. ERO is used by downstream routers to determine the next-hop for the LSP.
- B. ERO contains label information used to signal an LSP path.
- C. ERO is not always present in the PATH message.
- D. Each downstream router updates information inside the ERO.

Correct Answer: B

## **QUESTION 3**

RSVP session state for LSP 1 has timed out on router R3. Which of the following actions will router R3 initiate to clear the RSVP session?





Legend
LSP 1 to R6

- A. Send a PATH Tear message toward router R6.
- B. Send a PATH Tear message toward router R1.
- C. Send a PATH Error message toward router R6.
- D. Send a PATH Error message toward router R1.

Correct Answer: D

## **QUESTION 4**

If routers R1 and R2 have a Level 1 and Level 2 IS-IS adjacency, which of the following statements is true? Choose two answers.


- A. Routers R1 and R2 are in different areas.
- B. Routers R1 and R2 are in the same area.
- C. Routers R1 and R2 will send a Level 1 Hello PDU and Level 2 Hello PDU, if the interface type between them is point-to-point.
- D. Routers R1 and R2 will send a Level 1 Hello PDU and Level 2 Hello PDU, if the interface type between them is broadcast.
- E. Routers R1 and R2 will send a Level 1/2 Hello PDU if the interface type between them is broadcast.

Correct Answer: BD



#### **QUESTION 5**

Click on the exhibit.



R1 Loopbacks

FD00:11:11:1000::1/128 FD00:11:11:1000::2/128

FD00:11:11:1000::3/128

Router R1 distributes its loopbacks into IS-IS and globally routed addresses are configured as shown.

How many routes will router R4 have in its IPv6 route table?

A. 1

B. 2

C. 3

D. 4

E. 6

F. 7

Correct Answer: C

Latest 4A0-C01 Dumps

4A0-C01 VCE Dumps

4A0-C01 Practice Test