

# 4A0-C04<sup>Q&As</sup>

Nokia NRS II Composite Exam: OSPF version

## Pass Nokia 4A0-C04 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/4a0-c04.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Nokia Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





#### **QUESTION 1**

Click the exhibit.

```
R1>config>service# info
customer 1 create
    description "Default customer"
exit
customer 100 create
    description "Cust 100"
 exit
 sdp 2 mpls create
    far-end 10.10.10.2
     ldp
     keep-alive
        shutdown.
     exit
     no shutdown
 exit
 epipe 12 customer 100 create
    sap 1/1/1:30 create
     exit
     spoke-sdp 2:44 create
        no shutdown
     exit
     no shutdown
 exit
```

Which of the following statements about the E-pipe service is TRUE?

- A. The service is a local service.
- B. The service requires a second spoke SDP on this router.
- C. The service\\'s VC ID is 44.
- D. The service will accept VLAN tag 100.

Correct Answer: C

#### **QUESTION 2**

Click on the exhibit. After the Isp-ping command is executed, which of the following best describe the router\\'s action?

- A. MPLS Echo Request packets are sent within the RSVP-TE tunnel that is signaled for "Isp-toR2".
- B. MPLS Echo Request packets are sent within the LDP tunnel that is signaled for Mlsp- toR2".
- C. MPLS Echo Request packets are IP-routed to the destination address of "Isp-toR2".
- D. MPLS Echo Request packets are sent to the destination address of "Isp-toR2" over TCP.



Correct Answer: A

### **QUESTION 3**

Fill in the blanks: A \_\_\_\_\_\_device has all interfaces inside the provider domain, and a \_\_\_\_\_\_ device has at least one interface outside the provider domain.

A. PE, P

B. P, PE

C. PE, CE

D. CE, PE

E. CE, P

Correct Answer: B

#### **QUESTION 4**

A BGP session is in OpenConfirm state. Which of the following messages must be received to transition to Established state?

- A. Update
- B. Open
- C. Notification
- D. Keepalive

Correct Answer: D

#### **QUESTION 5**

Click the exhibit.



R1# show router 100 fib 1 FIB Display Prefix Protocol NextHop 10.1.5.0/24 10.1.5.0 (R1-R5) 10.6.4.0/24 10.10.10.4 (VPRN Label:131065 Transport:LDP) 10.10.10.5/32 10.1.5.5 Indirect (R1-R5) 10.10.10.6/32 10.10.10.4 (VPRN Label:131065 Transport:LDP) 192.168.10.0/24 10.1.5.5 Indirect (R1-R5) 192.168.20.0/24 2 10.10.10.4 (VPRN Label:131065 Transport:LDP) Total Entries : 6

The output is from PE router R1 about VPRN service 100. From which protocol did router R1 learn the prefix 192.168.20.0/24?

A. LDP

B. BGP

C. MP-BGP

D. MPLS

Correct Answer: C

4A0-C04 PDF Dumps

4A0-C04 Exam Questions

4A0-C04 Braindumps