



4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements regarding SGW pools and SGW service areas is FALSE?

- A. An SGW service area is served by one or more SGW pools.
- B. A UE can move within an SGW service area without changing the serving SGW.
- C. A tracking area can belong to one or more SGW service areas.
- D. An SGW can be a member of one or more SGW pools.

Correct Answer: D

QUESTION 2

Which of the following statements regarding MME restoration is FALSE?

- A. MME restoration allows rapid restoration of UE sessions when an MME to which the UE is attached fails.
- B. MME restoration occurs when S11 link fails.
- C. MME restoration triggers the S1 release of connected UEs in priority order.
- D. MME restoration can be either network-initiated or UE-initiated.

Correct Answer: A

QUESTION 3

Which of the following is NOT an EPS session management (ESM) function performed by MME?

- A. Support default bearer creation, modification, and deletion
- B. Support dedicated bearer creation, modification, and deletion
- C. Inform other network elements about subscription data changes in HSS
- D. Perform network element selection

Correct Answer: A

QUESTION 4

Which of the following statements regarding paging policy is FALSE?

- A. Paging method defines which forwarding path is used to forward the paging message to eNodeBs
- B. Paging policy defines paging procedures used by MME to page an idle UE



C. Paging timer specifies the time to wait for a response to a paging request message

D. Paging attempt specifies the number of times MME tries to page a UE before the UE is deemed non-responsive

Correct Answer: A

QUESTION 5

Which of the following regarding an EPS dedicated bearer is FALSE?

A. It can be a GBR bearer.

B. It can be a non-GBR bearer.

C. MME obtains the dedicated bearer QoS parameters from HSS.

D. MME sends the dedicated bearer QoS parameters to eNodeB.

Correct Answer: D

Reference: <https://www.sciencedirect.com/topics/computer-science/dedicated-bearer>

[Latest 4A0-M03 Dumps](#)

[4A0-M03 Practice Test](#)

[4A0-M03 Exam Questions](#)