



4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements best describes a home PLMN?

- A. A network where a UE is currently registered and has a different PLMN ID from the UE's PLMN ID
- B. A provisioned network that is shared by multiple operators
- C. A network where a UE is currently being served
- D. A network where a UE is subscribed

Correct Answer: C

QUESTION 2

Which of the following statements best defines S-TMSI?

- A. A permanent, unique identification of a mobile subscriber in the GSM/UMTS/EPS system.
- B. A network that provides mobile communication services to the public.
- C. A globally unique temporary mobile identifier used to hide the subscriber's real permanent identity.
- D. An identifier assigned by the MME that uniquely identifies a UE within an MME pool.

Correct Answer: C

QUESTION 3

Given the exhibit, if GTP-C load control is used, which SGW will have the highest probability of being selected by the MME for new session requests?

Order	Preference	Flags	Services	Replacement
200	35535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw01.pool1.nodes.3gppnetwork.org
200	55535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw02.pool1.nodes.3gppnetwork.org
200	15535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw03.pool1.nodes.3gppnetwork.org
200	25535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw04.pool1.nodes.3gppnetwork.org

SGW	Calculated Relative Available Load
sgw01	55%
sgw02	15%
sgw03	20%
sgw04	10%

- A. sgw01
- B. sgw02



C. sgw03

D. sgw04

Correct Answer: A

QUESTION 4

Which of the following is NOT performed by the MME during S1-based handover procedure?

A. MME determines if SGW relocation is required.

B. MME selects the target eNodeB for handover.

C. MME releases bearers that are not accepted by the target eNodeB.

D. MME checks if the handover is to restricted area based on the handover restriction list.

Correct Answer: C

QUESTION 5

Which of the following MME interfaces uses a protocol OTHER than GTP-C or Diameter?

A. S1-MME

B. S11

C. S6a

D. SLg

Correct Answer: A

Reference: <https://www.cablefree.net/wirelesstechnology/4glte/lte-interfaces/>

[4A0-M03 PDF Dumps](#)

[4A0-M03 Practice Test](#)

[4A0-M03 Braindumps](#)