



4A0-M03^{Q&As}

Nokia Mobility Manager

Pass Nokia 4A0-M03 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/4a0-m03.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements regarding a tracking area list (TA list) is TRUE?

- A. The location of an idle UE is known by the network at an eNodeB granularity.
- B. The location of an active UE is known by the network at a TA list granularity.
- C. All the tracking areas in a TA list are served by the same MME.
- D. A tracking area list is a logical set of MMEs.

Correct Answer: B

QUESTION 2

Which of the following is NOT performed by the MME during a TAU procedure?

- A. MME sends paging messages to a list of eNodeBs.
- B. MME informs the HSS about the UE's current location.
- C. MME sends the UE a new TA list containing the new TAs.
- D. MME determines if SGW relocation is required and selects a new SGW.

Correct Answer: D

QUESTION 3

Which of the following messages are exchanged between the MME and the SGW during the dedicated bearer activation procedure?

- A. Attach Request / Attach Accept
- B. Create Bearer Request / Create Bearer Response
- C. Session Management Request / Session Management Response
- D. RA-Request / RA-Answer

Correct Answer: B

Reference: <https://www.sciencedirect.com/topics/engineering/dedicated-bearer>

QUESTION 4

Given the exhibit, if GTP-C load control is used, which SGW will have the highest probability of being selected by the MME for new session requests?



Order	Preference	Flags	Services	Replacement
200	35535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw01.pool1.nodes.3gppnetwork.org
200	55535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw02.pool1.nodes.3gppnetwork.org
200	15535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw03.pool1.nodes.3gppnetwork.org
200	25535	"a"	x-3gpp-sgw:x-s5-gtp	topon.eth9.sgw04.pool1.nodes.3gppnetwork.org

SGW	Calculated Relative Available Load
sgw01	55%
sgw02	15%
sgw03	20%
sgw04	10%

- A. sgw01
- B. sgw02
- C. sgw03
- D. sgw04

Correct Answer: A

QUESTION 5

Which of the following statements regarding handover is FALSE?

- A. Handover can occur when UE is in ECM-CONNECTED state
- B. S1-based handover is used when X2-based handover attempt failed
- C. During X2-based handover, MME may remain the same or be relocated
- D. S1-based handover is used when there is no X2 interface between source and target eNodeBs

Correct Answer: C

[4A0-M03 PDF Dumps](#)

[4A0-M03 VCE Dumps](#)

[4A0-M03 Exam Questions](#)