4A0-M05^{Q&As}

Nokia Cloud Packet Core

Pass Nokia 4A0-M05 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/4a0-m05.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nokia Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which of the following logical interfaces is used between the CMG and the PDN?

A. Gn

B. SGi

C. S5

D. S1-U

Correct Answer: A

QUESTION 2

Which of the following statements about L2 interface redundancy with SR-IOV is FALSE?

A. SR-IOV provides redundancy through a Linux bonded interface on the hypervisor.

B. Guest VMs have two virtual NICs connected to VFs on different physical SR-IOV ports.

C. Ethernet frames are sent between the two interfaces to verify connectivity.

D. The interface bonding must be active/standby.

Correct Answer: C

QUESTION 3

Which of the following provides the virtual hardware environment for the guest OS on a Linux system?

A. libvirt

B. QEMU

C. virsh

D. ESXi

Correct Answer: B

QUESTION 4

Which of the following best describes the reason for CPU pinning?

A. To ensure that a VM is assigned to high performance CPU cores.

B. To ensure that a VM\\'s CPU cores area all allocated on the same NUMA node.

C. To ensure that a VM is assigned to a compute node with adequate resources.

D. To ensure that a VM is assigned a sufficient number of CPU cores.

Correct Answer: A

QUESTION 5

Which of the following is NOT a function of the CMM IP Director Service (IPDS)?

A. Terminates external logical interfaces.

B. Manages UE registration and authentication.

C. Assigns new subscribers to internal CPPS and PAPS.

D. Implements network load/overload control.

Correct Answer: C