



500-230^{Q&As}

Cisco Service Provider Routing Field Engineer

Pass Cisco 500-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

How frequently does the WDSYMON Watcher thread wake up to check counters?

- A. every 500 msec
- B. every 2 sec
- C. every 200 msec
- D. every 1 sec

Correct Answer: D

QUESTION 2

Which command is an example of how to configure system logging to a Syslog server?

- A. logging 172.21.116.27
- B. syslog server1
- C. logging syslog-server 172.21.116.27
- D. enable syslog server1

Correct Answer: A

QUESTION 3

Which statements are true regarding L3VPN configurations?

- A. Prior to configuring a vrf within MP-BGP, the router has to have instantiated the VPNv4 or VPNv6 address-family.
- B. On a single PE router, the Route Distinguisher and the Route Targets must be the same.
- C. Prior to configuring a neighbor in the VPNv4 address-family, it must already be configured for IPv4Unicast.
- D. The import and export Route Targets must be the same on a PE.

Correct Answer: C

QUESTION 4

Which command is used to redistribute BGP into EIGRP for a Layer 3 VPN customer?

- A. router(config-eigrp-af)# redistribute bgp 65001
- B. router(config-eigrp-vrf-af)# redistribute bgp 65001



C. router(config-eigrp-vrf)# redistribute bgp 65001

D. router(config-eigrp)# redistribute bgp 65001

Correct Answer: B

QUESTION 5

What BGP address-families are used between the ASBRs in the different ASes in an IPv4 Option C Layer3 VPN solution?

A. VPNv4 Unicast Only

B. IPv4 Unicast and VPNv4 Unicast

C. IPv4 Labeled-Unicast only

D. IPv4 Unicast and IPv4 Labeled-Unicast

Correct Answer: D

[500-230 Study Guide](#)

[500-230 Exam Questions](#)

[500-230 Braindumps](#)