



500-230^{Q&As}

Cisco Service Provider Routing Field Engineer

Pass Cisco 500-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which command is run to make changes permanent and survive a reload after executing the command "copy disk0:config-file.txt running-config"?

- A. Commit Confirm
- B. Commit Copy
- C. Command not require, changes are committed automatically
- D. Commit

Correct Answer: D

QUESTION 2

Which VRFs must be configured on the ASBRs between the two ASes in an Option B Layer-3 VPN solution?

- A. The VRFs shared between the two ASes plus one VRF representing each AS.
- B. The VRFs shared between the two ASes.
- C. The VRFs shared between the two ASes plus one shared VRF.
- D. The VRFs do not need to be configured on the ASBRs.

Correct Answer: B

QUESTION 3

How do you verify the label(s) used between the ASBRs in Option A Inter-AS L3VPN operation?

- A. There are no labels used between the ASBRs
- B. Verify the labels assigned by MP-BGP in the SHOW BGP VPNV4 UNICAST
- C. Verify the labels assigned by MP-BGP in the SHOW CEF VRF output
- D. Verify the labels assigned by LDP in the output of SHOW MPLS FORWARDING

Correct Answer: A

QUESTION 4

One of your peers show in the SHOW BGP VPNV4 UNICAST SUMMARY output What is the cause of this?

- A. The label value ranges are mismatched.



- B. The peer has no prefixes with a Route-Target that the local router is importing.
- C. The BGP prefixes between the routers have not fully converged and will correct itself in time.
- D. The peer router is not configured to use the VPNv4 address-family for this connection.

Correct Answer: D

QUESTION 5

Which command is used to undo a change after issuing a commit command?

- A. router# rollback configuration to -1
- B. router(config)# commit undo
- C. router(config)# commit rollback
- D. router# rollback configuration last 1

Correct Answer: D

[Latest 500-230 Dumps](#)

[500-230 PDF Dumps](#)

[500-230 Study Guide](#)