



500-230^{Q&As}

Cisco Service Provider Routing Field Engineer

Pass Cisco 500-230 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-230.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which VRFs must be configured on the ASBRs between the two ASes in an Option B Layer-3 VPN solution?

- A. The VRFs shared between the two ASes plus one VRF representing each AS.
- B. The VRFs shared between the two ASes.
- C. The VRFs shared between the two ASes plus one shared VRF.
- D. The VRFs do not need to be configured on the ASBRs.

Correct Answer: B

QUESTION 2

Which command is used to undo a change after issuing a commit command?

- A. router# rollback configuration to -1
- B. router(config)# commit undo
- C. router(config)# commit rollback
- D. router# rollback configuration last 1

Correct Answer: D

QUESTION 3

One of your peers show in the SHOW BGP VPNV4 UNICAST SUMMARY output What is the cause of this?

- A. The label value ranges are mismatched.
- B. The peer has no prefixes with a Route-Target that the local router is importing.
- C. The BGP prefixes between the routers have not fully converged and will correct itself in time.
- D. The peer router is not configured to use the VPNv4 address-family for this connection.

Correct Answer: D

QUESTION 4

How many times are Layer 3 lookups performed on a packet transiting a CRS or ASR9k router?

- A. Three times: in the ingress linecard, the fabric, and the egress linecard
- B. Once: in the active RP/RSP



C. Once: in the ingress linecard

D. Twice: in the ingress linecard and again in the egress linecard

Correct Answer: A

QUESTION 5

How do you verify the label(s) used between the ASBRs in Option A Inter-AS L3VPN operation?

A. There are no labels used between the ASBRs

B. Verify the labels assigned by MP-BGP in the SHOW BGP VPNV4 UNICAST

C. Verify the labels assigned by MP-BGP in the SHOW CEF VRF output

D. Verify the labels assigned by LDP in the output of SHOW MPLS FORWARDING

Correct Answer: A

[Latest 500-230 Dumps](#)

[500-230 PDF Dumps](#)

[500-230 Brindumps](#)