



500-451^{Q&As}

Enterprise Networks Specialization

Pass Cisco 500-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-451.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Cisco ISE uses HTTPS for its Guest Service portals (Guest, Sponsor, WebAuth). What is the default TCP port number?

- A. 8443
- B. 8080
- C. 443
- D. 80

Correct Answer: A

QUESTION 2

A network administrator is using the Embedded Event Manager, which is supporting multiple actions initiated from the script. Which two policy actions can be used within the EEM? (Choose two)

- A. Execute a Tcl script.
- B. Send an email.
- C. Run another policy.
- D. Hot swap the supervisor.
- E. Manually send an SNMP trap.

Correct Answer: BC Testlet 1

TESTLET OVERVIEW

Title: Case Study

The following testlet will present a Case Study followed by [count] multiple choice question(s), [count] create a tree question(s), [count] build list and reorder question(s) and [count] drop and connect question (s).

You will have [count] minutes to complete the testlet.

For help on how to answer the questions, click the Instructions button on the question screen.

QUESTION 3

Which option is performed exclusively by the mobility agent?

- A. key distribution to all mobility controllers



- B. 802.11 device location calculation
- C. CAPWAP tunnels termination
- D. central radio resource management tasks

Correct Answer: C

QUESTION 4

Which installation option is available as of Prime Infrastructure 2.0?

- A. distributed
- B. web-based installation
- C. physical appliance
- D. Windows installer

Correct Answer: C

QUESTION 5

Which step is one of the typical configuration steps when configuring Flow Exporter for Prime Infrastructure 2.0 or higher?

- A. Set the IP address to export the Flexible NetFlow cache entry to a destination system.
- B. Configure the source IP address interface for each interface part of Flexible NetFlow exporter.
- C. Configure the TCP transport protocol and a TCP port number 1991 for a Flexible NetFlow flow exporter.
- D. Configure the TCP transport protocol and a TCP port number 9991 for a Flexible NetFlow flow exporter.

Correct Answer: A Question Set 8

[500-451 PDF Dumps](#)

[500-451 VCE Dumps](#)

[500-451 Practice Test](#)