

500-451^{Q&As}

Enterprise Networks Specialization

Pass Cisco 500-451 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/500-451.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/500-451.html 2024 Latest passapply 500-451 PDF and VCE dumps Download

QUESTION 1

Which feature is used on the Catalyst 6500 Series Switch for real-time traffic capture and decoding?

- A. Lancope Lite
- **B.** Packet Monitor
- C. Mini Protocol Analyzer
- D. Inline Wireshark module

Correct Answer: C

QUESTION 2

Which set of Converged Access components is related to "physical" entities?

- A. mobility agent, mobility controller, mobility oracle
- B. mobility controller, mobility groups, switch peer group
- C. mobility groups, switch peer group
- D. mobility oracle, switch peer group, mobility domain

Correct Answer: A

QUESTION 3

Which option can be a source of PI Assurance data?

- A. MPA on Catalyst 6500 Series Switches
- B. Catalyst 3850 Series Switch interface status
- C. NetFlow on Catalyst 4500 Series Switch
- D. ISE client join statistics
- E. WLC SNMP traps

Correct Answer: C

QUESTION 4

In the Converged Access solution, how does the controller display the access point name when there is no existing configuration for the AP?



https://www.passapply.com/500-451.html

- 2024 Latest passapply 500-451 PDF and VCE dumps Download
- A. AP+IP address dotted decimal, for example, AP10.10.1.1
- B. AP+Ethernet MAC Address, for example, AP44d3:ca42.4337
- C. AP+IP address in hex, for example, AP0A.0A.01.01
- D. AP+Base Radio MAC Address, for example, AP18.33.9d.f1.40.50

Correct Answer: B

QUESTION 5

When the Cisco Catalyst 3850 is configured as a wireless mobility agent, what must be true?

- A. Cisco ISE must be joined to Microsoft AD.
- B. Access points must be connected directly to the Catalyst 3850.
- C. Access points may be connected anywhere in the network.
- D. The mobility controller must be CT5760.

Correct Answer: B

Latest 500-451 Dumps

500-451 Study Guide

500-451 Exam Questions