



500-560^{Q&As}

Cisco Networking: On-Premise and Cloud Solutions Exam

Pass Cisco 500-560 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-560.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What feature of the Catalyst 2960-L allows customers to get a small branch or office network running within minutes?

- A. support for Cisco DNA center
- B. on-box web interface for configuration
- C. flexible deployments with Stackwise-160
- D. complete CLI support

Correct Answer: B

QUESTION 2

Which product is considered part of the Cisco Meraki full stack?

- A. UCS servers
- B. MR wireless access points
- C. Aironet wireless access points
- D. Catalyst switches

Correct Answer: B

QUESTION 3

What is one-way Cisco DNA Spaces simplifies location services?

- A. Cisco DNA Spaces uses multiple dashboards for customers to segregate data
- B. Cisco DNA Spaces is run on-premises
- C. Cisco DNA Spaces focuses exclusively on customer behavior
- D. Cisco DNA Spaces provides a single pan
- E. e view of allocation-based services that can be customized based on the ser and permissions.

Correct Answer: D



QUESTION 4

What would be an indicator that a customer could benefit from a Meraki cloud-managed network?

- A. Customer needs modular hardware customization and granular, command-line level interfacing
- B. Customer prefers direct access to on-premises appliances and servers via in-line terminal management
- C. Customer requires end to-end visibility and a network that can be quickly deployed and easily managed by a limited IT stat
- D. Customer seeks to implement a diverse solution of firewalls with 3rd party integration alongside other cloud application.

Correct Answer: C

QUESTION 5

What do customers using the ISR 4000 and ISR 1100 series routers need to do to enable the Web User interface?

- A. nothing, it is configured by default
- B. purchase a license and configure an admin account for up to 5 routers
- C. complete a configuration process with help from Cisco support
- D. purchase a license for the browser-based system

Correct Answer: A

[500-560 Study Guide](#)

[500-560 Exam Questions](#)

[500-560 Braindumps](#)