



# 500-601<sup>Q&As</sup>

Application Centric Infrastructure Support Representative

## Pass Cisco 500-601 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-601.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

What is the valid shard range for an object DN?

- A. 1-64
- B. 1-16
- C. 0-15
- D. 1-32

Correct Answer: D

---

### QUESTION 2

Which two policies can be set within the vswitch policies of an Attachable Access Entity Profile on 1.0? (Choose two.)

- A. PortChannel Policy
- B. Monitoring Policy
- C. CDP Policy
- D. LACP Policy
- E. VLAN Policy

Correct Answer: AE

---

### QUESTION 3

Refer to the exhibit Which two statements about this managed object are true? (Choose two)



```
# vlan.CktEp
encap                : vlan-2230
adminSt              : active
childAction           :
createTs             : 2015-06-10T15:12:53.000+01:00
ctrl                  : policy-enforced
dn                    : topology/pod-1/node-101/sys/ctx-[vxlan-2818051]/bd-[vxlan-16514959] / vlan-[vlan-2230]
enfPref               : hw
epgDn                 : uni/tn-Prod/ap-App1/epg-web-server
fabEncap              : vxlan-9101
hwId                  : 4
id                    : 45
lcOwn                 : local
modTs                 : 2015-06-10T15:12:12.544+01:00
mode                  : CE
monPolDn              : uni/tn-Prod/monepg-Prod-Mon
name                  : Prod:App1:web-server
operSt                : up
operStQual            : unspecified
operState             : disabled
pcTag                 : 49158
qosPrio               : unspecified
qosmCfgFailedBmp      :
qosmCfgFailedTs       : 00:00:00:00.000
qosmCfgState          : 0
rn                    : vlan-[vlan-2230]
status                :
type                  : ckt-vlan
vlanmgrCfgFailedBmp   :
vlanmgrCfgFailedTs    : 00:00:00:00.000
```

- A. This object is part of the concrete model.
- B. There are endpoints with encapsulation vlan-2230 in the EPG name "web-server" on node 101.
- C. This object is part of the resolved model.
- D. This object is part of the logical model
- E. This object represents an FPG named "web server" in tenant Prod.

Correct Answer: BC

#### QUESTION 4

Which packets are counted after the atomic counters are configured?

- A. packets that are switched in the hypervisors
- B. packets that are locally switched
- C. packets that are switched via AVS



D. packets that traverse the fabric

Correct Answer: A

---

#### QUESTION 5

Which messaging protocol is used by the vPC peers to communicate with each other?

A. LLDP

B. CFS

C. ZMQ

D. VPCT

Correct Answer: D

[500-601 VCE Dumps](#)

[500-601 Practice Test](#)

[500-601 Study Guide](#)