



# 500-710<sup>Q&As</sup>

Cisco Video Infrastructure Implementation

## Pass Cisco 500-710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-710.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which two statements about endpoint registration authentication are true? (Choose two.)

- A. Authentication credentials can be stored in the local database of the Expressway.
- B. SIP endpoints always need authentication credentials.
- C. The endpoint and Expressway must be configured and synchronized with an NTP server delivering an identical time stamp.
- D. Expressways and endpoints do not need to be synchronized with identical NTP timestamps.
- E. When a subzone is set for "Treat as Authenticated", the endpoint must have the correct authentications configured.

Correct Answer: AC

---

### QUESTION 2

An engineer wants to schedule endpoints that are registered to the Cisco UCM to conferences using TMS. Which action is required before endpoints can be scheduled?

- A. The Cisco UCM must have a SIP trunk directed at TMS.
- B. Only endpoints registered to VCS or Expressway can be scheduled in conferences by TMS.
- C. The Cisco UCM must first be added to a folder in TMS Systems > Navigator.
- D. The MAC address of the endpoint must be entered in the System > Manage Dial Plan menu.

Correct Answer: C

---

### QUESTION 3

An engineer wants to add a domain to a numeric E.164 alias dialed by an H.323 endpoint. Which opinion is the Cisco recommended method to add this domain in the Expressway configurations?

- A. transforms
- B. user policy
- C. service preference
- D. call policy

Correct Answer: A

---

### QUESTION 4



Which option is a method for controlling bandwidth within a subzone?

- A. authentication
- B. federation
- C. do not disturb
- D. interoperability

Correct Answer: A

---

#### QUESTION 5

What is the maximum network latency allowed between peers in a cluster?

- A. 30 ms total
- B. 300 ms total
- C. 100 ms one way
- D. 150 ms one-way

Correct Answer: A

[500-710 PDF Dumps](#)

[500-710 Exam Questions](#)

[500-710 Braindumps](#)