



500-901^{Q&As}

Cisco Data Center Unified Computing Infrastructure Design

Pass Cisco 500-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are creating a Local Disk Configuration Policy to be used by a new Service Profile for your UCS Server. Previous Service Profile had a Local Disk Configuration Policy set up for `No RAID` and the `Protect Configuration` box was checked. This time, you choose `RAID 1` and deselect the `Protect Configuration` checkbox.

What are the implications of this change?

- A. The Service Profile association process will fail because you cannot change from `No RAID` to `RAID 1`
- B. The Service Profile association process will fail because the policies are different and the `protect configuration` option was checked
- C. The Service Profile association process will succeed, but your total disk capacity will be cut in half due to the change from RAID 0 to RAID 1
- D. The Service Profile association process will succeed, but it will adopt the previous Local Disk Configuration Policy instead of the new one because it had `protect configuration` checked

Correct Answer: B

QUESTION 2

Which Cisco UCS core element maintains the UCS XML database?

- A. Cisco Finite State Machine
- B. Cisco Data Management Engine
- C. Cisco UCS Manager
- D. Cisco Application Gateways

Correct Answer: C

QUESTION 3

You are creating a Boot Policy to have your Cisco UCS Server boot from SAN. What option shows the correct process?

- A. Include a vHBA in the Boot Order list, provide a Boot LUN ID, and Provide the WWPN address for the Boot Target
- B. Include a vHBA in the Boot Order list, provide a SAN ID, and provide the WWPN address for the Boot Target
- C. Include two vHBAs in the Boot Order list (vHBA-A and vHBA-B for redundancy), provide a Boot LUN ID for each vHBA, and provide the WWPN address for the Boot Target
- D. Include two vHBAs in the Boot Order list (vHBA-A and vHBA-B for redundancy), provide a SAN ID, and provide the WWPN address for the Boot Target

Correct Answer: A



QUESTION 4

An administrator needs to configure NPV between an edge fabric switch which will support application servers, and an upstream core switch. A Fiber Channel (FC) link exist between the two switchers.

What two statements are true about roles on the edge fabric switch? (Choose two.)

- A. The port that connects to the core switch will be an NP port.
- B. The ports that connect to the servers will be F ports.
- C. The port that connects the switches is a TE port.
- D. The port that connects to the core switch will be an FP port
- E. The ports that connect to the servers will be N ports.

Correct Answer: AB

QUESTION 5

What aspect of Cisco UCS servers enables multi-tenancy and provides an administrative hierarchy to organize resources?

- A. Resource pools
- B. Organizations
- C. Service profile templates
- D. Service profiles

Correct Answer: B

[500-901 PDF Dumps](#)

[500-901 Practice Test](#)

[500-901 Exam Questions](#)