



# 500-901<sup>Q&As</sup>

Cisco Data Center Unified Computing Infrastructure Design

## Pass Cisco 500-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-901.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

When can you use UCS Director to provision Service Profile template?

- A. For initial Service Profile template
- B. Always
- C. Never
- D. Only for updating Service Profile template

Correct Answer: A

---

### QUESTION 2

You are creating a Boot Policy to have your Cisco UCS Server boot from SAN. What option shows the correct process?

- A. Include a vHBA in the Boot Order list, provide a Boot LUN ID, and Provide the WWPN address for the Boot Target
- B. Include a vHBA in the Boot Order list, provide a SAN ID, and provide the WWPN address for the Boot Target
- C. Include two vHBAs in the Boot Order list (vHBA-A and vHBA-B for redundancy), provide a Boot LUN ID for each vHBA, and provide the WWPN address for the Boot Target
- D. Include two vHBAs in the Boot Order list (vHBA-A and vHBA-B for redundancy), provide a SAN ID, and provide the WWPN address for the Boot Target

Correct Answer: A

---

### QUESTION 3

An administrator needs to configure NPV between an edge fabric switch which will support application servers, and an upstream core switch. A Fiber Channel (FC) link exist between the two switchers.

What two statements are true about roles on the edge fabric switch? (Choose two.)

- A. The port that connects to the core switch will be an NP port.
- B. The ports that connect to the servers will be F ports.
- C. The port that connects the switches is a TE port.
- D. The port that connects to the core switch will be an FP port
- E. The ports that connect to the servers will be N ports.

Correct Answer: AB

---



#### QUESTION 4

The HX Data Platform architectures uses which two data optimization features? (Choose two.)

- A. Non-disruptive RAID recovery
- B. Inline data compression
- C. Post-process data compression
- D. Cluster-wide garbage collection
- E. Inline data deduplication
- F. Post-process data deduplication

Correct Answer: BE

---

#### QUESTION 5

An application is running in a data center as a set of virtual machines running on a single physical host. The host is using an NPIV enabled HBA.

What capability does this offer?

- A. Only the physical host can logically connect to the SAN fabric, thus enhancing security.
- B. The number of FIOGIs is kept at a reasonable level, and therefore cannot saturate the SAN fabric.
- C. Inter VSAN traffic can be switched directly by the HBA.
- D. Each VM initiator can be managed independently, since it will generate its own FLOGI, and have its own pWWN.

Correct Answer: D

[500-901 VCE Dumps](#)

[500-901 Practice Test](#)

[500-901 Braindumps](#)