



500-920^{Q&As}

Cisco Data Center Unified Computing Infrastructure Troubleshooting
(DCITUC)

Pass Cisco 500-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/500-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

When troubleshooting UCS initialization issues that require Fabric Interconnect reboots, which Fabric Interconnect should be rebooted first?

- A. The primary Fabric Interconnect
- B. Both Fabric Interconnects must be rebooted simultaneously
- C. The Cisco UCS Manager will determine with Fabric Interconnect to reboot
- D. The subordinate Fabric Interconnect

Correct Answer: A

QUESTION 2

What three options should be verified, when you are able to connect to Cisco UCS Manager, but unable to open a KVM session to a blade? (Choose three)

- A. Verify TCP port 2068 is not blocked by an ACL or Firewall
- B. Confirm the IP Address assigned to UCS Manager is the same as the KVM address
- C. Verify the KVM IP Address is on the same ip subnet as the virtual machines
- D. Confirm the KVM IP Address is added to the route table in Cisco UCS Manager
- E. Confirm the IP Address assigned to the KVM is not a duplicate IP
- F. Verify the KVM IP Address is on the same subnet as the Fabric Interconnect management address

Correct Answer: ADE

QUESTION 3

What is the next step after performing a UCS firmware upgrade, and downloading the latest drivers both for your RAID Controller and your Fibre Channel HBA?

Check the HCL

- A. No Drivers are needed in a UCS environment
- B. Apply the device driver update to the devices
- C. No need to do anything Drivers are automatically installed for you
- D. Test device driver compatibility

Correct Answer: D



QUESTION 4

Which statement is true regarding the UCS Manager GUI is showing "Overall Status Unassociated" in the General tab for a C-series server?

- A. The server has a service profile assigned, but has connectivity issues with UCS Manager
- B. The server is not properly connected
- C. The server does not have a service profile assigned, but has been discovered by UCS Manager
- D. The server has been properly connected, but has not been discovered by UCS Manager

Correct Answer: B

QUESTION 5

After performing a UCS firmware upgrade, which two UCS components will require updated drivers? (Choose two)

- A. VIC Cards and Fiber Channel HBAs
- B. Cisco Fabric Interconnects
- C. Cisco UCS Manager
- D. RAID Controllers

Correct Answer: AB

[Latest 500-920 Dumps](#)

[500-920 PDF Dumps](#)

[500-920 Braindumps](#)