



5V0-21.19^{Q&As}

VMware vSAN 6.7 Specialist Exam 2019

Pass VMware 5V0-21.19 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-21-19.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

In a vSAN Stretched Cluster configuration, when is the non-preferred site determined to be isolated?

- A. When the master node is unable to communicate with any non-preferred site nodes
- B. When the nodes in the non-preferred site are unable to communicate with the vSAN Witness
- C. When the backup node is unable to communicate with the preferred site
- D. When the master node is unable to communicate with the backup node

Correct Answer: B

QUESTION 2

How do vSAN stretched clusters protect against entire site failures?

- A. asynchronous data transfer
- B. online witness replacement
- C. virtual machine data copied from the witness site
- D. redundant components placed at both sites

Correct Answer: D

QUESTION 3

A virtual machine is unable to access one of its virtual disks.

Which vSAN Health check should an administrator view to troubleshoot the issue?

- A. Data > vSAN Object Health
- B. Cluster > vSAN CLOMD Liveness
- C. Cluster > Disk Format Version
- D. Limits > vSAN Component Limit

Correct Answer: A

QUESTION 4

When should an administrator enable Resynchronization Throttling?

- A. when a host fails to exit maintenance mode



- B. when vSAN host CPU utilization is above 80%
- C. when directed by VMware Global Support Services
- D. when vSAN datastore free space is less than 20%

Correct Answer: B

QUESTION 5

A vSAN administrator is building a new vSAN cluster and each host only has two physical uplinks configured in a team.

What can the administrator use to ensure vSAN receives the necessary bandwidth while maintaining high availability?

- A. Route based on IP hash
- B. A dedicated uplink for vSAN traffic
- C. Shared uplinks for all traffic
- D. Network I/O control

Correct Answer: D

[5V0-21.19 PDF Dumps](#)

[5V0-21.19 Study Guide](#)

[5V0-21.19 Exam Questions](#)