



5V0-21.20^{Q&As}

VMware Certified Master Specialist (HCI 2020)

Pass VMware 5V0-21.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-21-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which two must be considered when creating a vSAN solution that will utilize VMware vSphere Replication? (Choose two.)

- A. Deduplication and compression must be disabled for PIT snapshots.
- B. Point-in-time snapshots count towards component limit.
- C. vSAN Encryption cannot be used with vSphere Replication.
- D. Additional read I/O will be generated by vSphere Replication.
- E. AES-NI must be enabled prior to using snapshots for replication.

Correct Answer: CD

QUESTION 2

An architect is designing network high availability for a new vSAN Cluster. Which is a supported configuration for this design?

- A. Use LACP on the distributed switch with a route based on IP hash algorithm.
- B. Create multiple VMkernel adapters on the same subnet for vSAN.
- C. Configure multicast to use two separate network interfaces for vSAN traffic.
- D. Create an additional TCP/IP stack within the cluster and specify vSAN type.

Correct Answer: C

QUESTION 3

Which should be verified before enabling deduplication and compression?

- A. Adequate space is available.
- B. Ensure disk groups are balanced.
- C. Autoclaim mode is enabled.
- D. All hosts are in maintenance mode.

Correct Answer: A

QUESTION 4

A major upgrade of the ESXi code on an existing vSAN cluster was just completed. Upon logging on to the vSphere



Web Client, the vSphere administrator encounters UI timeouts on vSAN specific menus. What could cause this?

- A. vSphere Update Manager is offline.
- B. vSAN Performance Service is offline.
- C. vCenter Server has yet to be upgraded.
- D. vSAN on-disk format has yet to be upgraded.

Correct Answer: C

QUESTION 5

An administrator would like to put a vSAN host in an existing vSAN Cluster in maintenance mode. vMotion is configured and DRS is set to Fully Automated and all other advanced settings are their defaults.

The administrator uses this PowerCLI command:

```
Set-VMHost -VMHost "esxi-host01.corp.local" -State "Maintenance"
```

What is the default behavior?

- A. Virtual machines will be live migrated and all storage objects residing on this host will migrate to another host that is not in maintenance mode.
- B. Virtual machines will be live migrated to another host not in maintenance mode and storage objects will be migrated if it is required to be accessible.
- C. Virtual machines will be live migrated to another host not in maintenance mode and storage objects will not migrate regardless of policy and state.
- D. Virtual machines will not be live migrated to another host not in maintenance mode and storage objects will be migrated if it is required to be accessible.

Correct Answer: A

[5V0-21.20 PDF Dumps](#)

[5V0-21.20 VCE Dumps](#)

[5V0-21.20 Study Guide](#)