



5V0-22.21^{Q&As}

VMware vSAN 6.7 Specialist

Pass VMware 5V0-22.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-22-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which vSAN advanced setting can be adjusted to avoid rebuild operations during a host hardware maintenance window that is expected to exceed 90 minutes?

- A. Forced Provisioning
- B. Thin Swap
- C. Object Repair Timer
- D. Automatic Rebalance

Correct Answer: C

QUESTION 2

When attempting to add a directly attached disk device to a host disk group, the intended disk does not show among the available devices in disk management.

Which action should be taken?

- A. Delete all device partitions
- B. Create a 1GB metadata partition
- C. Format the existing partition
- D. Create a VMFS partition

Correct Answer: A

QUESTION 3

An administrator is enabling vSphere HA and vSAN on the same cluster and needs to use a configuration that is valid for vSphere HA Heartbeat datastore.

Which configuration should be used?

- A. A datastore mounted to more than one host, as well as any vSAN datastore
- B. Any datastore mounted to more than one host
- C. Any datastore mounted to more than one host, but not a vSAN datastore
- D. vSAN datastore as vSphere HA Heartbeat datastore

Correct Answer: C



QUESTION 4

An administrator has been tasked with physically moving the hosts in a vSAN 7.0 U1 cluster to an alternative location. All virtual machines, hosts, and the vCenter Server have need safely powered sown, and the servers have been relocated.

Afterwards, the operations engineer needs to bring up the vSAN cluster again.

Which action is part of this process?

- A. Powering on each ESXi host from the vSphere Client
- B. Entering Maintenance Mode with no data migration on each ESXi host
- C. Disabling the vCLS retreat mode
- D. Exiting Maintenance Mode on each ESXi host using the vSphere Host Client

Correct Answer: B

QUESTION 5

A vSAN administrator has recently upgraded a vSAN cluster to 7.0 U1 and has enabled Capacity Reserve features to reduce the amount of capacity reserved for transient and rebuild operations.

Which scenario would prevent this feature from operating properly?

- A. The physical disk has reached an 80% full reactive rebalance threshold.
- B. The used space on vSAN datastore exceeds the suggested slack rebuild threshold.
- C. The used space on vSAN datastore exceeds the suggested host rebuild threshold.
- D. Underutilized space is above 25-30% of the total capacity threshold.

Correct Answer: D

[5V0-22.21 PDF Dumps](#)

[5V0-22.21 Practice Test](#)

[5V0-22.21 Study Guide](#)