



# 5V0-22.21<sup>Q&As</sup>

VMware vSAN 6.7 Specialist

**Pass VMware 5V0-22.21 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-22-21.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What are two purposes of a vSAN storage policy (Choose two.)

- A. To determine vSAN encryption level
- B. To enable TRIM/UNMAP
- C. To define how the VM storage objects are provisioned
- D. To guarantee the required level of service
- E. To enable deduplication and compression

Correct Answer: CD

---

### QUESTION 2

An administrator wants to check the vSAN cluster health during the maintenance window while vCenter Server is offline.

What are two ways to complete this task? (Choose two.)

- A. HCIBench
- B. ESXi system logs on vSAN datastore
- C. esxcli
- D. vSphere Host Client
- E. esxtop

Correct Answer: CD

---

### QUESTION 3

Which two conditions should be verified before removing an ESXi host from a vSAN cluster? (Choose two.)

- A. Resyncs are running
- B. Data evacuation is complete
- C. Performance Service is disabled
- D. Encryption is disabled
- E. ESXi host is in maintenance mode

Correct Answer: BE

---



#### QUESTION 4

After a recent data loss event, the IT department plans to deploy a DR site using vSphere Replication with vSAN providing the storage backend.

The architect would like to know how many components will be created based on the following configuration:

2x 100 GB VMDK RAID 1 vSAN Storage Policy 4x Point in Time snapshots

How many components will be created?

- A. 32
- B. 24
- C. 16
- D. 8

Correct Answer: B

---

#### QUESTION 5

A vSAN administrator wants to install a patch on an existing vSAN cluster. The environment runs vSphere 7.0, and the patch contains ESXi 7.0 Update 1c. The vSAN administrator will use vSphere Lifecycle Manager images to add the patch to the proper image and apply it to the vSAN cluster.

Which action should be performed before patching the ESXi hosts in the vSAN cluster?

- A. Upgrade the Platform Services Controller.
- B. Perform a disk format upgrade.
- C. Create a baseline instead of using images.
- D. Upgrade the vCenter Server.

Correct Answer: D

[5V0-22.21 VCE Dumps](#)

[5V0-22.21 Practice Test](#)

[5V0-22.21 Study Guide](#)