



5V0-23.20^{Q&As}

VMware vSphere with Tanzu Specialist

Pass VMware 5V0-23.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-23-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which step in vSphere with Tanzu enablement using the vSphere Distributed Switch process is done prior to using the Workload Management Enablement Wizard?

- A. Deploy the load balancer
- B. Choose the Kubernetes content library that should be used in the Supervisor Cluster
- C. Define the Primary workload network P range
- D. Define the Management network interfaces for the Supervisor Cluster

Correct Answer: D

QUESTION 2

A developer is connecting to a Tanzu Kubernetes Cluster using the kubectl vsphere login command

Which information must be specified, in addition to both the name of the cluster and the Supervisor Cluster Control Plane IP?

- A. The path to the existing kubeconfig file and the SSO Username
- B. The path to the existing kubeconfig file and the Token ID for the SSO credentials
- C. The name of the Supervisor Namespace and the Token ID for the SSO credentials
- D. The name of the Supervisor Namespace and the SSO Username

Correct Answer: B

QUESTION 3

Which three elements should be configured by a vSphere administrator after creating vSphere Namespace? (Choose three.)

- A. Permissions
- B. Capacity and Usage limits
- C. License
- D. Namespace name
- E. Storage Policy
- F. NSX Segment

Correct Answer: ABD



QUESTION 4

Which requirement is valid for vSphere with Tanzu on vSphere Distributed Switch Network?

- A. Workload networks that are routable to the primary workload network
- B. HAProxy Virtual Server IP range that is allocated to NSX-T edge router external interface
- C. Network Interface Cards with Single Root IO Visualization Support (SR-IOV)
- D. HAProxy Frontend interface that has a common subnet and bridged interface to workload networks

Correct Answer: B

QUESTION 5

The Gold storage policy has been assigned to the Web namespace, and the DevOps engineer wants to place a persistent volume for the Web application in the Gold storage class.

How should this goal be accomplished?

- A. Indicate the Gold storage class in the persistent volume claim specification
- B. Assign the persistent volume to the Gold storage class
- C. Indicate the Gold storage class in the persistent volume specification
- D. Configure tag-based placement for the persistent volume

Correct Answer: A

[5V0-23.20 PDF Dumps](#)

[5V0-23.20 Exam Questions](#)

[5V0-23.20 Braindumps](#)