



# 5V0-31.20<sup>Q&As</sup>

VMware Cloud Foundation Specialist

## Pass VMware 5V0-31.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/5v0-31-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which two Password Management options are available for passwords that are locally managed within VMware SDDC Manager? (Choose two.)

- A. Reset
- B. Update
- C. Rotate
- D. Change
- E. Replace

Correct Answer: BC

---

### QUESTION 2

An administrator creates a management domain using the VMware Cloud Builder appliance. Which type of storage must be used as principal storage for the management domain?

- A. NFS
- B. vSAN
- C. VMFS on FCoE
- D. VMFS on FC

Correct Answer: B

---

### QUESTION 3

A customer wishes to integrate their VMware Cloud Foundation deployment with Microsoft CA to be used for SDDC certificate rotation. Which three requirements achieve this configuration? (Choose three.)

- A. Integrate OpenSSl with Microsoft CA Server so CSRs can be generated for all appliances.
- B. Configure the web server (IIS) security setting to use basic authentication.
- C. Deploy a separate Microsoft ADFS server to integrate with the Microsoft CA server.
- D. Ensure that the service account which is configured on the SDDC Manager has the least privilege access to the Certificate Authority Service.
- E. Configure and issue a VMware Certificate template for Machine SSL and Solution User certificates on the CA server.
- F. Configure the web server (IIS) security setting to use Integrated Windows Authentication.

Correct Answer: AEF

---



#### QUESTION 4

An Architect is commission hosts with a Multi-NIC configuration where Management and vMotion traffic are assigned to a vSphere Distributed Switch with 2 uplinks.

What is one advantage to using VLAN-banked traffic to the physical switches from the vSphere Distributed Switch?

- A. Layer 2 hashed-based Equal Cost Multi-Pathing (ECMP) out of hypervisor
- B. Bandwidth in the rack is optimized (no inter-switch-link)
- C. Two physical NICs of the hypervisor are actively used
- D. More complex to implement

Correct Answer: A

---

#### QUESTION 5

An architect is tasked with designing a new VMware Cloud Foundation environment. The company will purchase vSAN Ready Nodes for the management cluster but wants to make use of existing investments where possible, including a significant investment made recently in an all-flash storage array and 16GB FC fabric. The design must include this array wherever possible.

The company wishes to reuse existing ToR switching that will provide four 10Gbps Ethernet connection to each host and one 1Gbps out of band connection. The network will be a standard spine and leaf topology with no layer-2 shared between racks of infrastructure. The ToR switches are each connected to 4 spine switches, with one 10Gbps connection. The clusters must be spread across at least four racks to ensure maximum resiliency.

Which two constraints impact this design? (Choose two )

- A. The use of an existing storage array.
- B. VMFS does not support FC SAN with VMware Cloud Foundation
- C. More than one availability design is needed.
- D. The management domain must be contained within one rack.
- E. A spine and leaf topology is used.

Correct Answer: AD

[Latest 5V0-31.20 Dumps](#)

[5V0-31.20 Practice Test](#)

[5V0-31.20 Exam Questions](#)